Form 3160-3 (November 1983) (formerly 9-331C)


# UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRACATE (Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

	BUREAU OF	LAND MANA	GEMEN	г			5. LEASE DESIGNATION AND BERIAL NO.
APPLICATION					IIIC F	A CIV	UTU-0576 6. IF INDIAN, ALLOTTER OR TRIBE NAME
1a. TYPE OF WORK	OK 1 EKIVIII	IO DRILL,	DEEFE	N, OK F	LUG E	ACK	
DRILL		DEEPEN		PL	UG BA	CK 🗆	Not Applicable 7. UNIT AGREEMENT NAME
D. TYPE OF WELL OIL CAS	<b>I</b> ⊽¬		SIN	GLE (V)	MULTIP	1.10 C	Natural Buttes
WELL GAS WELL  2. NAME OF OPERATOR	W. OTHER		žon		ZONE	<u>"-                                    </u>	8. FARM OR LEASE NAME
Coastal Oil &	Gas Corporati	on					NBU 9. WELL NO.
3. ADDRESS OF OPERATOR				<del></del>	<del></del>		166
P. O. Box 749,  4. LOCATION OF WELL (Repor	Denver, Colo	rado 802	01-074	9			10. FIELD AND POOL, OR WILDCAT
At surface (Repor	t location clearly and	in accordance wi	th any St	te requireme	nts.*)		Natural Buttes 1,30
941' FSL, 1693 At proposed prod. sone	' FEL (SW&SE&	) Section	28, T9	S, R21E		ı	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Same As Above 14. DISTANCE IN MILES AND	DIRECTION FROM NEAL	Pen TOWN OR DOG					Section 28, T9S, R21E 12. COUNTY OR PARISH   13. STATE
Approximately 15. Distance FROM PROPOSED	<u> 1901 (8) M11</u>	es Southea:	ST OT   16. No.	OUTAY, L	tan LEASE	l 17. No. o	Uintah Utah
LOCATION TO NEAREST PROPERTY OR LEASE LINE, (Also to nearest drig. un	FT.	941'	l	1480		TOTI	HIS WELL 80
18. DISTANCE FROM PROPOSED	LOCATION*	<del></del>		OSED DEPTH	w <u> </u>	20. ROTAL	BY OR CABLE TOOLS
TO NEAREST WELL, DRILLI OR APPLIED FOR, ON THIS LE	abe, pt. ]	500¹±		<u>. ن 6300</u>	STC		Rotary
21. ELEVATIONS (Show whether	DF, RT, GR, etc.)		·		<u> </u>	·	22. APPROX. DATE WORK WILL START*
4954 GR							August 20, 1991
(ALL I	VEW)	PROPOSED CASI	NG AND (	EMENTING	PROGRAM	I	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	TOO	SETTING D	EPTH		QUANTITY OF CEMENT
	-5/8" K-55	24.0#		0- 250'			x Circ. to Surface *
<u>7-7/8" 5-</u>	-1/2" K-55	17.0#		<u>0-6300'</u>		545 s	x Circ. to Surface *
	_		-				SECEIVED
	mes may chang rom Caliper l		ole si	ze.			AUG 0 5 1991
EIGHT-POINT RES	SOURCE PROTEC	TION PLAN /	ATTACH	ED.			DIVISION OF
T 1		1 011 0 0	_		_		
I nereby certin	Ourses to as	al Uil & Ga	as Corp	poration	is au	thorize	OiL GAS & MINING
tion for Permit	owners to co t to Drill th	nuuct lease o NRII #166	e opera	ations a	SSOCIA	tea wi.	th this Applica- . Bond coverage
pursuant to 43	CFR 3104 for	lease act:	, reue: ivitie:	rai Leas s is hei	na nro	u-us/o vided l	by Coastal Oil &
Gas Corporation	ı, Nationwide	Bond # CO-	-0018	who wil	l be r	espons	ible for compliance
with all the te	erms and cond	itions of t	that po	ortion o	f the	lease a	associated with
this Applicatio	on.						
	•						
N ABOVE SPACE DESCRIBE PROF	OSED PROGRAM: If DI	oposal is to deep	en or plug	hack, give d	sts on nre	sent produ	ctive sone and proposed new productive
one. If proposal is to drill or reventer program, if any.	or deepen directionall	y, give pertinent	data on s	ubsurface loc	ations and	measured	and true vertical depths. Give blowout
4. 01 0	5011						
SIGNED MANUEL	Mowry /or	vu TITI	_ Dis	strict D	rillin	g Manag	ger <sub>DATE</sub> July 25, 1991
(This space for Federal or	State office use	0					The same of the sa
PERMIT NO. 43-0	47-3200	5	4 10.7	PROVAL DATE _			ED BY THE STATE
			API	RUYAU DATE _			AH DIVISION OF
APPROVED BY			.е		(	DIL, G	AS, AND MINING
CONDITIONS OF APPROVAL, IF	ANY:				DAT		8-16-91
					DV.	_	TON

# T9S, R21E, S.L.B.&M.




# COASTAL OIL & GAS CORP.

Well location, NBU #166, located as shown in the SW 1/4 SE 1/4 of Section 28, T9S, R21E, S.L.B.&M. Uintah County, Utah.

#### BASIS OF ELEVATION

BENCH MARK 25EAM 1964 LOCATED IN THE NW 1/4 OF SECTION 27, T9S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4961 FEET.



CERTIFICATE WINNING THE THE ABOVE THAT THE ABOVE THAT THE ABOVE THAT THE ABOVE THAT WAS PREPARED THOM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER AN SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO BEST OF MY KNOWLEDGE AND BELIEF

> REGISTERED LAND SURVEYOR REMISTRATION NO. 5709 STATE OF WIAH

# UINTAH ENGINEERING & LAND SURVEYING P. O. BOX 1758 - 85 SOUTH - 200 EAST

VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 7-11-91			
PARTY L.D.T. K.L. R.E.H.	REFERENCES G.L.O. PLAT			
WEATHER	FILE			
НОТ	COASTAL OIL & GAS CORP.			

COASTAL OIL & GAS CORPORATION Lease #UTU-0576, NBU #166 SWASEA, Section 28, T9S, R21E Uintah County, Utah

#### Drilling Prognosis

1. Estimated Tops of Important Geologic Markers:

Uinta Surface Wasatch 4880' Green River 1880' Total Depth 6300'

2. Estimated Depths of Anticipated Water, Oil, Gas or Mineral Formations:

Wasatch 4880' Gas (Primary Objective)

If any shallow water zones are encountered, they will be adequately protected and reported; none anticipated. All potentially productive hydrocarbon zones will be cemented off.

- 3. Pressure Control Equipment: (Schematic Attached)
  - A. Type: 11" Double Gate Hydraulic.

The Blow-Out Preventer will be equipped as follows:

- 1. One (1) blind ram (above).
- 2. One (1) pipe ram (below).
- 3. Kill line (2-inch minimum).
- 4. One (1) kill line valve (2-inch minimum).
- 5. One (1) choke line valve.
- 6. Two (2) adjustable chokes.
- 7. Upper kelly cock valve with handle available.
- 8. Safety valve & subs to fit all drill strings in use.
- 9. 2-inch (minimum) choke line.
- 10. Pressure gauge on choke manifold.
- B. Pressure Rating: 2,000 psi
- C. Testing Procedure:

At a minimum, the BOP, choke manifold, and related equipment will be pressure tested to the approved working pressure of the BOP stack (if isolated from the surface casing by a test plug) or to 70% of the internal yield strength of the surface casing (if the BOP is not isolated from the casing by a test plug). Pressure will be maintained for a period of at least ten (10) minutes or until the requirements of the test are met, whichever is longer.

#### 3. Pressure Control Equipment:

C. Testing Procedure: Continued

At a minimum, the above pressure test will be performed:

- 1. When the BOP is initially installed;
- 2. Whenever any seal subject to test pressure is broken;
- Following related repairs; and
- At thirty (30) day intervals.

In addition to the above, the pipe and blind rams will be activated each trip, but not more than once each day.

All BOP drills and tests will be recorded in the IADC driller's log.

D. Choke Manifold Equipment:

All choke lines will be straight lines unless turns use tee blocks or are targeted with running tees, and will be anchored to prevent whip and vibration.

#### E. Accumulator:

The accumulator will have sufficient capacity to close all BOP's and retain 200 psi above precharge. Nitrogen bottles which meet the manufacturer's specifications will be used as the backup to the required independent power source. The accumulator precharge pressure test will be conducted prior to connecting the closing unit to the BOP stack and at least once every six (6) months thereafter. The accumulator pressure will be corrected if the measured precharge pressure is found to be above or below the maximum or minimum limits specified in Onshore Operating Order #2.

#### F. Special Drilling Operations:

In addition to the equipment already specified in Items A through E, above, the following equipment will be in place and operational during air/gas drilling:

- 1. Properly lubricated and maintained rotating head.
- Spark arresters on engines or water cooled exhaust.
- 3. Blooie line discharge 100 feet from well bore and securely anchored.

#### 3. Pressure Control Equipment:

- F. Special Drilling Operations: Continued
  - 4. Straight run on blooie line.
  - 5. Deduster equipment (not required for aerated water system).
  - 6. All cuttings and circulating medium(s) shall be directed into a reserve or blooie pit.
  - Float valve above bit.
  - Automatic igniter or continuous pilot light on the blooie line (not required for aerated water system).
  - 9. Compressors located in the opposite direction from the blooie line and at a minimum of 100 feet from the well bore.
  - 10. Mud circulating equipment, water, and mud materials (does not have to be pre-mixed) sufficient to maintain the capacity of the hole and circulating tanks or pits.

#### G. Miscellaneous Information:

The Blow-Out Preventer and related pressure control equipment will be installed, tested and maintained in compliance with the specifications in and requirements of Onshore Operating Order #2.

The choke manifold and BOP extension rods with hand wheels will be located outside the rig sub-structure. The hydraulic BOP closing unit will be located at least twenty-five (25) feet from the well head but readily accessible to the driller.

Exact locations and configurations of the hydraulic BOP closing unit will depend upon the particular rig contracted to drill this hole.

A flare line will be installed after the choke manifold, extending 100 feet (minimum) from the center of the drill hole to a separate flare pit.

# 4. The Proposed Casing and Cementing Program: (All New)

#### A. <u>Casing Program</u>

<u> Hole Size</u>	<u>Casing Size</u>	Wt./Ft.	<u>Grade</u>	<u>Joint</u>	Depth Set
12-1/4"	8-5/8"	24.0#	K-55	ST&C	0- 250'

#### 4. The Proposed Casing and Cementing Program: (All New)

#### A. Casing Program - Continued

<u> Hole Size</u>	<u>Casing Size</u>	<pre>Wt./Ft.</pre>	<u>Grade</u>	<u>Joint</u>	Depth Set
7-7/8"	5-1/2"	17.0#	K-55	LT&C	0-6300'

Casing string(s) will be pressure tested to 0.22 psi per foot, or 1500 psi (not to exceed 70% of the internal yield strength of the casing), whichever is greater, after cementing and prior to drilling out from under the casing shoe.

#### B. Cementing Program

Surface Casing : Cement with approximately 180 sx Class "G" cement + additives, circulated to surface with 100%

excess.

Production Casing : Lead with approximately 350 sx

Halliburton Silica "Lite" cement with 4% Gel, 4% CaCl<sub>2</sub>, 0.3 % Halad-413 and 2.0#/sx Granulite TR; tail with approximately 195 sx Class "G" cement + additives. Cement will be circulated back to surface with 30%

excess.

Actual cement volumes to be required will be determined from the caliper log.

All waiting on cement (WOC) times will be adequate to achieve a minimum of 500 psi compressive strength at the casing shoe prior to drilling out.

#### 5. Mud Program: (Visual Monitoring)

<u>Interval</u>	Type	Weight	<u>Viscosity</u>	Fluid Loss
0-6300'	Aerated Water			

Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control during the course of drilling operations.

### 6. Evaluation Program:

<u>Logs</u> : DIL-Caliper : 6300' - Surface

FDC-CNL : 6300' - 1500'

DST's : None anticipated.

<u>Cores</u> : None anticipated.

The proposed evaluation program may change at the discretion of the wellsite geologist, with prior approval from the Authorized Officer, Bureau of Land Management.

<u>Stimulation</u>: No stimulation or frac treatment has

been formulated for this test at this time. The drill site, as approved, will be of sufficient size to accommodate all

completion activities.

Whether the well is completed as a dry hole or as a producer, Well Completion and Recompletion Report and Log (Form 3160-4) will be submitted to the Book Cliffs Resource Area Office not later than thirty (30) days after the completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164.

Two (2) copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the Authorized Officer, Book Cliffs Resource Area Office, Bureau of Land Management, 170 South 500 East, Vernal, Utah 84078, Phone: (801) 789-1362.

# 7. Abnormal Conditions:

No abnormal temperatures or pressures are anticipated. No  $\rm H_2S$  has been encountered in or known to exist from previous wells drilled to similar depths in the general area.

Maximum anticipated bottom hole pressure equals approximately 2,930 psi (calculated at 0.465 psi/foot) and maximum anticipated surface pressure equals approximately 1,544 psi (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

#### 8. Anticipated Starting Dates and Notification of Operations:

#### A. <u>Drilling Activity</u>

Anticipated Commencement Date: August 20, 1991

Drilling Days : Approximately 10 Days Completion Days : Approximately 7 days

### B. Notification of Operations

The Book Cliffs Resource Area Office, Bureau of Land Management will be notified at least twenty-four (24) hours <u>PRIOR</u> to the commencement of the following activities:

- 1. Spudding of the well. This oral report will be followed up with a Sundry Notice (Form 3160-5);
- initiating pressure tests of the blow-out preventer and related equipment;
- running casing and cementing of <u>ALL</u> casing strings.

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in suspended status without prior approval of the Authorized Officer. If operations are to be suspended, prior approval of the Authorized Officer will be obtained and notification given before resumption of operations.

In accordance with Onshore Operating Order #1, this well will be reported on MMS Form 3160-6, "Monthly Report of Operations", starting with the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with the Royalty Management Program, Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217.

Immediate Report: spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the provisions of NTL-3A or its current revision.

# 8. Anticipated Starting Dates and Notification of Operations:

# B. <u>Notification of Operations</u> - Continued

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed for prior approval of the Authorized Officer, and all conditions of this approved plan will be applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the Authorized Officer will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication no later than five (5) business days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of the Authorized Officer, produced water may be temporarily disposed of into the reserve pit for a period of up to ninety (90) days. During this period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the Authorized Officer.

Pursuant to NTL-4A, lessees and operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of thirty (30) days or the production of fifty (50) MMCF of gas, whichever occurs first. An application must be filed with the Authorized Officer, and approval received, for any venting/flaring of gas beyond the initial thirty (30) day or otherwise authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the Vernal District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within fifteen (15) days after receipt of the first production notice.

#### 8. Anticipated Starting Dates and Notification of Operations:

### B. <u>Notification of Operations</u> - Continued

No well abandonment operations will be commenced without the prior approval of the Authorized Officer. In the case of newly-drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the Authorized Officer.


A "Notice of Intention to Abandon" (Form 3160-5) will be filed with the Authorized Officer within fifteen (15) days following the granting of oral approval to plug and abandon.


Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6 The following information will be permanently placed on the marker with a plate, cap, or beaded-on with a welding torch: "Fed" or "Ind", as applicable; Company Name, Well Name and Number, Location by Quarter/Quarter, Section, Township, Range, and Federal or Indian Lease Number.

A "Subsequent Report of Abandonment" (Form 3160-5) will be submitted within thirty (30) days following the actual plugging of the well bore. This report will indicate where plugs were placed and the current status of surface restoration operations. If surface restoration has not been completed at that time, a follow-up report on Form 3160-5 will be filed when all surface restoration work has been completed and the location is considered ready for final inspection. Final abandonment will not be approved until the surface reclamation work required by the approved Application for Permit to Drill has been completed to the satisfaction of the Authorized Officer or his representative, or the appropriate Surface Management Agency.

Pursuant to Onshore Operating Order #1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in such a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal and Indian lands.

# BOP STACK





COASTAL OIL & GAS CORPORATION Lease #UTU-0576, NBU #166 SWISEI, Section 28, T9S, R21E Uintah County, Utah

#### Multi-Point Surface Use and Operations Plan

- 1. Existing Roads: Refer to Maps "A" & "B" (shown in ORANGE)
  - A. The proposed well site is staked and four 200-foot reference stakes are present.
  - To reach the location from the town of Vernal, Utah; В. proceed generally southwest approximately 14.0 miles on U.S. Highway 40 (a paved U.S. highway), thence generally south approximately 17.0 miles on Utah Highway 88 (a paved state highway) to the community of Ouray, thence generally south approximately 6.9 miles on the Seep Ridge Road (an existing, upgraded Uintah County road), thence generally east approximately 5.0 miles on an existing, upgraded oilfield road (crowned & ditched with a gravel surface), thence generally east/northeast approximately 1.5 miles on the Mountain Fuel Pipeline Road (an existing, upgraded oilfield road - crowned & ditched with a gravel surface), thence generally southeast approximately 0.2 miles on an existing, upgraded oilfield road (crowned & ditched with a gravel surface), thence generally southwest approximately 0.3 miles to the proposed NBU #166 well location.
  - C. Access roads refer to Maps "A" and "B".
  - D. Access roads within a one (1) mile radius refer to Map "B".
  - E. The existing gravel roads will be maintained in the same or better condition as existed prior to the commencement of operations and said maintenance will continue until final abandonment and reclamation of the NBU #166 well location.
- 2. Planned Access Roads: Refer to Map "B" (Shown in GREEN)

Approximately 0.3 miles of new road construction will be required for access to the proposed NBU #166 well location.

- A. Width maximum 30-foot overall right-of-way with an 18foot road running surface, crowned & ditched.
- B. Construction standard the access road will be constructed in accordance with Bureau of Land Management Roading Guidelines established for oil and gas exploration and development activities as referenced in the BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Third Edition.

#### 2. Planned Access Roads: Continued

B. Construction standard - the road will be constructed to meet the standards of the anticipated traffic flow and all-weather requirements. Construction will include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed and safe road.

Prior to construction/upgrading, the roadway shall be cleared of any snow cover and allowed to dry completely.

Traveling off of the thirty (30) foot right-of-way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or the accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at a frequent intervals by means of cutouts.

Upgrading shall not be allowed during muddy conditions.

Should mud holes develop, they shall be filled in and detours around them avoided.

- C. Maximum grade 5%.
- D. Turnouts turnouts will be constructed along the access route as necessary or required to allow for the safe passage of traffic. None anticipated at this time.
- E. Drainage design the access road will be crowned, ditched, and water turnouts installed as necessary to provide for proper drainage along the access road route.
- F. Culverts, cuts and fills no culverts will be required. There are no major cuts and/or fills on/along the proposed access road route.
- G. Surface materials any construction materials which may be required for surfacing of the access road will be purchased from a local contractor having a permitted source of materials in the area, if required by the Authorized Officer, Bureau of Land Management. None anticipated at this time.

#### 2. Planned Access Roads: Continued

- H. Gates, cattleguards or fence cuts none required.
- I. Road maintenance during both the drilling and production phase of operations, the road surface and
  shoulders will be kept in a safe and useable condition
  and will be maintained in accordance with the original
  construction standards. All drainage ditches and
  culverts will be kept clear and free-flowing, and will
  also be maintained in accordance with the original
  construction standards. The access road right-of-way
  will be kept free of trash during operations.
- J. The proposed access road has been centerline staked.

#### 3. Location of Existing Wells Within a One-Mile Radius:

Please Refer to Map "C"

- A. Water wells none known.
- B. Abandoned wells NE<sup>1</sup>/<sub>4</sub>SE<sup>1</sup>/<sub>4</sub>, Section 28, T9S, R21E.
- C. Temporarily abandoned wells none known.
- D Disposal wells none known.
- F. Producing wells SWISEI, Section 21, T9S, R21E.

  NEINWI, Section 27, T9S, R21E.

  NEISWI, Section 27, T9S, R21E.

  NEISEI, Section 28, T9S, R21E.
  - SWISWI, Section 28, T9S, R21E. NWISEI, Section 29, T9S, R21E.
- G. Shut-in wells SWINEI, Section 33, T9S, R21E.
  NWISWI, Section 33, T9S, R21E.
- H. Injection wells none known.
- I. Monitoring wells none known.

# 4. Location of Existing and/or Proposed Facilities Owned by Coastal Oil & Gas Corporation Within a One-Mile Radius:

#### A. Existing

- 1. Tank batteries SE\(\frac{1}{2}\)Section 21, T9S, R21E.

  \[ \text{NE\(\frac{1}{2}\)N\(\frac{1}{2}\)}\], Section 27, T9S, R21E.

  \[ \text{NE\(\frac{1}{2}\)Section 27, T9S, R21E.} \]

  \[ \text{NE\(\frac{1}{2}\)Section 28, T9S, R21E.} \]

  \[ \text{SW\(\frac{1}{2}\)Section 28, T9S, R21E.} \]

  \[ \text{NW\(\frac{1}{2}\)Section 29, T9S, R21E.} \]
  - Production facilities same as Item #4A1, above.
- 3. Oil gathering lines none.
- 4. Gas gathering lines same as Item #4A1, above.

# 4. Location of Existing and/or Proposed Facilities Owned by Coastal Oil & Gas Corporation Within a One-Mile Radius:

#### B. New Facilities Contemplated

1. All production facilities will be located on the disturbed portion of the well pad and at a minimum of twenty-five (25) feet from the toe of the backslope or toe of the fill slope.

2. The production facilities (consisting primarily of a christmas tree at the well head, dehydration unit, and emergency pit) will require an area approximately 300' X 135'. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via "Sundry Notice" (Form 3160-5) for approval of subsequent installation operations.

3. Production facilities will be accommodated on the existing well pad. Construction materials required for installation of the production facilities will be obtained from the site; any additional materials required will be purchased from a local supplier having a permitted (private) source of materials within the area.

A dike will be constructed completely around those production facilities which contain fluids (i.e. production tanks, produced water tanks and/or heater/treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

4. All permanent (on-site for six months or longer) above-the-ground structures constructed or installed including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Five (5) State Rocky Mountain Interagency Committee. All production facilities will be painted within six (6) months of installation. Facilities required to comply with Occupational Health and Safety Act Rules and Regulations will be excluded from this painting requirement.

The required paint color is <u>Carlsbad Canyon</u>, Munsell standard color number 2.5Y 6/2.

Coastal Oil & Gas Corporation NBU #166 Surface Use & Operations Plan Page 5 4. Location of Existing and/or Proposed Facilities Owned by Coastal Oil & Gas Corporation Within a One-Mile Radius: New Facilities Contemplated - Continued If at any time the facilities located on public lands and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), the Bureau of Land Management will process a change in authorization to the appropriate statute). The authorization will be subject to the appropriate rental or other financial obligation as determined by the Authorized Officer. C. The production (emergency) pit will be fenced with woven wire mesh topped with one (1) strand of barbed wire held in place with metal side posts and wooden corner "H" braces in order to protect livestock and wildlife. Please refer to Item #9E (page #8) for additional information on the fencing specifications.

- D. During drilling and subsequent operations, all equipment and vehicles will be confined to the access road right-of-way and any additional areas as specified in the approved Application for Permit to Drill.
- E. Reclamation of disturbed areas no longer needed for operations will be accomplished by grading, leveling and seeding as recommended by the Bureau of Land Management.

# 5. Location and Type of Water Supply:

- A. Fresh water for drilling will be obtained from an existing water well and reservoir: Uintah #1, owned by Target Trucking, Inc. and located in the SE\(\frac{1}{4}\)SE\(\frac{1}{4}\)NE\(\frac{1}{4}\) of Section 16, Township 10 South, Range 21 East, Uintah County, Utah; permit #49-991 (A57530).
- B. Water will be transported over existing roads via tank truck from the point of diversion to the proposed NBU #166 well location.

No new construction will be required on/along the proposed water haul route. No off-lease/unit Federal lands will be crossed on/along the proposed water haul route.

C. No water well will be drilled on this location.

#### 6. Source of Construction Materials:

- A. Construction materials needed for surfacing of the well pad will be obtained from a local contractor having a permitted (private) source of materials in the area. Refer to Item #2G (page #2) regarding any construction materials which may be required on the access road.
- B. No construction materials will be taken from Federal and/or Indian lands without prior approval from the appropriate Surface Management Agency.
- C. If production is established, any additional construction materials needed for surfacing the access road and installation of production facilities will be purchased from a local supplier having a permitted (private) source of materials in the area.
- D. No new access roads for construction materials will be required.

#### 7. Methods of Handling Waste Materials:

- A. Cuttings the cuttings will be deposited in the reserve/blooie pit.
- B. Drilling fluids including salts and chemicals will be contained in the reserve/blooie pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within ninety (90) days after termination of drilling and completion activities.

In the event adverse weather conditions prevent removal of the fluids from the reserve pit within this time period, an extension may be granted by the Authorized Officer upon receipt of a written request from Coastal Oil & Gas Corporation.

The reserve pit will be constructed so as not to leak, break, or allow discharge.

C. Produced fluids - liquid hydrocarbons produced during completion operations will be placed in test tanks on the location. Produced waste water will be confined to a lined pit (reserve pit) or storage tank for a period not to exceed ninety (90) days after initial production.

#### 7. Methods of Handling Waste Materials:

C. Produced fluids - during the ninety (90) day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with the required water analysis, shall be submitted for the Authorized Officer's approval. Failure to file an application within the time frame allowed will be considered an incidence of noncompliance.

Any spills of oil, gas, salt water or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

- D. Sewage self-contained, chemical toilets will be provided by Rocket Sanitation for human waste disposal. Upon completion of operations, or as needed, the toilet holding tanks will be pumped and the contents thereof disposed of in the nearest, approved, sewage disposal facility.
- E. Garbage and other waste material garbage, trash and other waste materials will be collected in a portable, self-contained and fully-enclosed trash cage during drilling and completion operations. Upon completion of operations (or as needed) the accumulated trash will be disposed of at an authorized sanitary landfill. No trash will be burned on location or placed in the reserve pit.
- F. Immediately after removal of the drilling rig, all debris and other waste materials not contained in the trash cage will be cleaned up and removed from the well location. No adverse materials will be left on the location.

Any open pits will be fenced during the drilling operation and the fencing will be maintained until such time as the pits are backfilled.

#### 8. Ancillary Facilities:

None anticipated.

#### 9. Wellsite Layout:

A. Figure #1 shows the drill site layout as staked. Cross sections have been drafted to visualize the planned cuts and fills across the location.

#### 9. <u>Wellsite Layout</u>: Continued

- A. A minimum of six (6) inches of topsoil will be stripped from the location (including areas of cut, fill, and/or subsoil storage) and stockpiled for future reclamation of the well site. Refer to Figure #1 for the location of the topsoil and subsoil stockpiles.
- B. Figure #1 is a diagram showing the rig layout. No permanent living facilities are planned. There will be one (1) trailer on location during drilling operations for the toolpusher.
- C. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via Sundry Notice (Form 3160-5) for approval of subsequent operations. Please refer to Item #4B (page #4) for additional information in this regard.
- D. If porous subsoil materials (gravel, scoria, sand, faulted rock structures, etc.) are encountered during reserve pit construction, an impervious liner will be installed in order to prevent drilling water loss through seepage. We do not anticipate the need for a pit liner at this time.
- E. Prior to the commencement of drilling operations, the reserve pit will be fenced "sheep tight" on three (3) sides according to the following minimum standards:
  - 1. 39-inch net wire shall be used with at least one (1) strand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
  - 2. The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least 42 inches.
  - 3. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
  - 4. Standard steel, wood, or pipe posts shall be used between the corner braces. maximum distance between any two (2) posts shall be no greater than sixteen (16) feet.
  - 5. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

#### 9. Wellsite Layout: Continued

E. The fourth side of the reserve pit will be fenced immediately upon removal of the drilling rig and the fencing will be maintained until the pit is backfilled.

F. Any hydrocarbons on the pit will be removed from the pit as soon as possible after drilling operations are completed.

#### 10. Plans for Reclamation of the Surface:

#### A. Production

- 1. Immediately upon well completion, the well location and surrounding area(s) will be cleared of all debris, materials, trash and junk not required for production.
- Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.
- 3. If a plastic or nylon reinforced pit liner is used, it shall be torn and perforated before backfilling of the reserve pit.
- 4. Before any dirt work to restore the location takes place, the reserve pit will be completely dry and all cans, barrels, pipe, etc. will be removed. Other waste and spoil materials will be disposed of immediately upon completion of drilling and workover activities.
- 5. The reserve pit and that portion of the location and access road not needed for production facilities/ operations will be reclaimed within ninety (90) days from the date of well completion, weather permitting.
- 6. For production, the fill slopes will be reduced from a 1.5:1 slope to a 4:1 slope and the cut slopes will be reduced from a 1.5:1 slope to a 4:1 slope by pushing the fill material back up into the cut.
- 7. Upon completion of backfilling, leveling and recontouring, the stockpiled topsoil will be evenly spread over the reclaimed area(s).

### 10. Plans for Reclamation of the Surface:

#### A. Production - Continued

7. Prior to reseeding, all disturbed surfaces (including the access road and location) will be scarified and left with a rough surface. No depressions will be left that would trap water and form ponds. All disturbed surfaces (including the access road and well pad areas) will be reseeded with the a seed mixture to be recommended by the Bureau of Land Management.

Seed will be drilled on the contour to an approximate depth of one-half (1/2) inch. All seeding will be conducted after September 15 and prior to ground frost.

#### B. Dry Hole/Abandoned Location

1. At such time as the well is physically plugged and abandoned, Coastal Oil & Gas Corporation will submit a "Subsequent Report of Abandonment" to the Authorized Officer for approval. At that time, the Bureau of Land Management will formulate the appropriate surface rehabilitation requirements and attach them as the conditions of approval for final abandonment.

#### 11. Surface Ownership:

The well site and proposed access road are situated on surface estate which is owned by the United States of America and administered by:

Area Manager
Book Cliffs Resource Area Office
Bureau of Land Management
170 South 500 East
Vernal, Utah 84078
Phone: (801) 789-1362

#### 12. Other Information:

A. General Description of the Project Area: The proposed drill site is located within the Natural Buttes Unit in an area of northeastern Utah.

#### 12. Other Information:

A. General Description of the Project Area: Continued

More specifically, the proposed project area is situated in an area of moderately to severely eroded uplands located between the White River to the east (and north), the Green River to the west, Bitter Creek to the southeast, and Willow Creek to the southwest.

This area is classified as a "High Plains Steppe" (Cold Desert) and is characterized by gently to moderately undulated uplands dissected by numerous dendritically-patterned, ephemeral drainages of both the Green and White Rivers. Generally, local flora consists of native grasses such as salt grass, galleta grass, needle-and thread grass, Indian ricegrass; and woody species such as shadscale, horsebrush, black sagebrush, fringe sagebrush, big sagebrush, rabbitbrush, and greasewood along the dry drainages. Local fauna consists of mule deer, antelope, coyotes, rabbits, raptors, and various smaller vertebrate and invertebrate species.

There are no known threatened or endangered species that will be affected by implementation of operations on the proposed NBU #166 well location.

- B. Surface Use Activities: The primary surface use is for grazing.
- C. Proximity of Water, Occupied Dwellings, Archaeological, Historical or Cultural Sites:
  - 1. The closest source of permanent water is the White River, located approximately six (6) miles to the northeast.
  - The closest occupied dwellings are located in the community of Ouray, approximately eight (8) miles to northwest.
  - 3. Coastal Oil & Gas Corporation will be responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites or for collecting artifacts.

#### 12. Other Information:

- C. Proximity of Water, Occupied Dwellings, Archaeological, Historical or Cultural Sites: Continued
  - 3. If historic or archaeological materials are uncovered, Coastal Oil & Gas Corporation will suspend all operations that might further disturb such materials and immediately contact the Authorized Officer.

Within five (5) working days the Authorized Officer will inform Coastal Oil & Gas Corporation as to:

- whether the materials appear eligible for the National Register of Historic Places;
- the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
- a time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that mitigation is appropriate.

If Coastal Oil & Gas Corporation wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Officer will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, Coastal Oil & Gas Corporation will be responsible for mitigation costs.

The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that the required mitigation has been completed, Coastal Oil & Gas Corporation will then be allowed to resume construction.

#### 12. Other Information: Continued

- D. Additional Stipulations for Operations on Lands
  Administered by the Bureau of Land Management:
  - 1. Coastal Oil & Gas Corporation will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the Bureau of Land Management, or the Uintah County Extension Office. On lands administered by the Bureau of Land Management, it is required that a "Pesticide Use Proposal" shall be submitted, and approval obtained, prior to the application of herbicides or other pesticides or possible hazardous chemicals for the control of noxious weeds.
  - 2. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on federal lands after conclusion of drilling operations or at any other time without the proper authorization from the Bureau of Land Management. However, if BLM authorization is obtained, it is only a temporary measure to allow Coastal Oil & Gas Corporation the time to make arrangements for permanent storage at a commercial facility.
  - 3. No construction or drilling activities shall be conducted between May 15 and June 20 in order to protect crucial Antelope kidding areas.
  - 4. This area as been identified as having critical to severe soil erosion conditions. In order to minimize watershed damage, construction and drilling activities will not be allowed when soils are wet and/or muddy.
  - 5. Coastal Oil & Gas Corporation shall contact the Bureau of Land Management between 24 and 48 hours prior to commencement of construction activities on the access road and/or well location: (801) 789-1362.
  - 6. The Bureau of Land Management shall be notified upon site completion and prior to moving drilling tools onto the location.

#### 12. Other Information:

- D. Additional Stipulations for Operations on Lands
  Administered by the Bureau of Land Management: Cont.
  - 7. An erosion control structure will be constructed in a minor drainage below (east of) the proposed well pad and adjacent to the proposed access road route. The actual location of the erosion control structure will be determined by the Bureau of Land Management at the time of well pad construction.

#### 13. Lessee's or Operator's Representative and Certification:

#### Representative

Coastal Oil & Gas Corporation Randy L. Bartley, Operations Manager P.O. Box 749 Denver, Colorado 80201-0749 Phone: (303) 572-1121

Heitzman Drill-Site Services\*
Dale Heitzman and/or Robert M. Anderson
P.O. Drawer 3579
Casper, Wyoming 82602
Phone: (307) 266-4840

\* Contact for any additional information which may be required for approval of this Application for Permit to Drill.

#### Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Coastal Oil & Gas Corporation will be fully responsible for the actions of their subcontractors. A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.


### 13. Lessee's or Operator's Representative and Certification:


Certification: Continued


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Coastal Oil & Gas Corporation, its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


August 1, 1991

Robert M. Anderson/Authorized Agent









OPERATOR CONSTAL ON SULL STORP N-0030 DATE 8-1091
WELL NAME JBD 100
SEC SUSE OF T 95 R WIE COUNTY WORTH
43-047-30065 API NUMBER TYPE OF LEASE
CHECK OFF: :
PLAT. NEAREST WELL
LEASE FIELD POTASH OR OTL SHALE
PROCESSING COMMENTS:  Included in 91' POD supplement approved 7-31-91.  Water Purnt: 49-991 (A57530) dauget ducking  Oil Shale area
<del></del>
ACC
APPROVAL LETTER:
SPACING: R615-2-3 Natural Butter R615-3-2
CAUSE NO. & DATE R615-3-3
STIPULATIONS:
1-Oil Shale



Dianne R. Nielson, Ph.D.

Division Director

State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

August 16, 1991

Coastal Oil & Gas Corporation P. O. Box 749 Denver, Colorado 80201-0749

#### Gentlemen:

Re: NBU #166 Well, 941 feet from the South line, 1693 feet from the East line, SW SE, Section 28, Township 9 South, Range 21 East, Uintah County, Utah

Approval to drill the referenced well is hereby granted in accordance with Utah Code Ann. Section 40-6-18, et seq. (1953, as amended), and Utah Admin. R.615-2-3, subject to the following stipulation:

1. Special attention is directed to compliance with Utah Admin. R.6l5-3-34, which prescribes drilling procedures for designated oil shale areas.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification in the event it is necessary to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801) 538-5340, (Home) (801) 476-8613, or R. J. Firth, Associate Director, (Home) (80I) 571-6068.
- 5. Compliance with the requirements of Utah Admin. R.6l5-3-20, Gas Flaring or Venting.

Page 2 Coastal Oil & Gas Corporation NBU #166 August 16, 1991

- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (80I) 538-6159.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-32065.

Sincerely,

Associate Director, Oil & Gas

tas

Enclosures

cc: Bureau of Land Management

J. L. Thompson

we14/1-5

Form 3160-3 (November 1983) (formerly 9-331C)

 $\overline{24}$ .

(This space for Federal or State office use)

CONDITIONS OF APPROVAL, IF ANY

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR

	SUBMIT IN IN ACATE	rom approved.
	(Other instructions on reverse side)	Budget Bureau No. 1004-0136 Expires August 31, 1985
<b>AD</b>		•

A BOLICATION LAGRANGIA CONTRACTOR	AGEME	NT		UTU-0576	AND BERIAL NO.
APPLICATION FOR PERMIT TO DRILL,	DEEP	PEN OR PLUG B	ACK	6. IF INDIAN, ALLOTTER	OR TRIBE NAME
1a. TYPE OF WORK		<u> </u>		Not Applicable	
DRILL I DEEPEN		PLUG BAC	CK 📋	7. UNIT AGREEMENT N	
OIL CAS V		SINGLE X MULTIP	rs [	Natural Butte:	
WELL WELL A OTHER  2. NAME OF OPERATOR	Z	ONE A ZONE		NBU	· <b>-</b>
Coastal Oil & Gas Corporation		्राञ्च क्राक्रा	17:00	NDU. WELL NO.	<del> </del>
3. ADDRESS OF OPERATOR		012631	W Jell	166	
P. O. Box 749, Denver, Colorado 80	201-07	749	,	0. FIELD AND POOL, O	R WILDCAT
P. O. Box 749, Denver, Colorado 80.  4. Location of Well (Report location clearly and in accordance value of the surface 941' FSI 1693' FFI (SWISEI) Section	vith any	State Yequirements.	1991	Natural Butte	S
941' FSL, 1693' FEL (SW4SE4) Section	28, 1	T9S, R21E	1771	11. SEC., T., E., M., OR B AND SURVEY OR AR	LK.
Same As Above 43-047-320 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OF PO	65	DIVISION		Section 28, T	9S, R21E
		OIL GUO W	MINING		
Approximately Fight (8) Miles Souther	<u>așt oj</u>	f Ouray, Utah		Uintah	Utah
LOCATION TO NEAREST	10. %		TO TE	F ACRES ASSIGNED	
(Also to nearest drig. unit line, if any)  18. DISTANCE FROM PROPOSED LOCATION*	<u> </u>	1480 ROPOSED DEPTH	90	80 BY OR CABLE TOOLS	
TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1500 ±	10. 1	6300'	20. RUTAI	Rotary	
21. ELEVATIONS (Show whether DF, RT, GR, etc.)		0300	<u> </u>	22. APPROX. DATE WOR	LE WILL STARTS
4954' GR				ì	
4334 UN				Mugust 20,	1331
23.	SING AN	D CEMENTING PROGRAM	1	August 20,	1991
23.		D CEMENTING PROGRAM	I	QUANTITY OF CEMEN	
(ALL NEW) PROPOSED CA	FOOT	SETTING DEPTH			
23. (ALL NEW) PROPOSED CA	FOOT	SETTING DEPTH		QUANTITY OF CEMEN	face *
23. (ALL NEW) PROPOSED CASING WEIGHT PER 12-1/4" 8-5/8" K-55 24.0#	FOOT	SETTING DEPTH		QUANTITY OF CEMENT	face *
23. (ALL NEW) PROPOSED CASING WEIGHT PER 12-1/4" 8-5/8" K-55 24.0#	FOOT	SETTING DEPTH  0-600 G	180 s	QUANTITY OF CEMENT X Circ. to Sur	face *
23. (ALL NEW) PROPOSED CASING WEIGHT PER 12-1/4" 8-5/8" K-55 24.0# 7-7/8" 5-1/2" K-55 17.0#	FOOT	O-SOP GEN	180 s	QUANTITY OF CEMENT  X Circ. to Sur	face *
23. (ALL NEW) PROPOSED CASIZE OF ROLE SIZE OF CASING WEIGHT PER 12-1/4" 8-5/8" K-55 24.0# 7-7/8" 5-1/2" K-55 17.0#	FOOT	SETTING DEPTH  0-260 G 3	180 s 1945 8	QUANTITY OF CEMENT  X Circ. to Sur	face *
Calculate from Caliper log.	hole s	SETTING DEPTH  0-50-50-50-50-50-50-50-50-50-50-50-50-50	180 s 1945 s 1991	QUANTITY OF CEMENT X Circ. to Sur	face *
Cement volumes may change due to	hole s	SETTING DEPTH  0-50-50-50-50-50-50-50-50-50-50-50-50-50	180 s 1945 s 1991	QUANTITY OF CEMENT  X Circ. to Sur	face *
(ALL NEW)    SIZE OF ROLE	hole s	SETTING DEPTH  0-80P G 20 Size.  AUG 12  DIVISION  CHED. OIL GAS & M	180 s 1945 9 1991 Or INING	QUANTITY OF CEMENT X Circ. to Surv X Circ. to Surv AUG 199	face * face *
(ALL NEW)    SIZE OF ROLE	hole s	AUG 12  Size.  DIVISION CHED. OIL GAS & M  Drporation is au	180 s 1945 8 1991 Of INING	QUANTITY OF CEMENT  X Circ. to Surv  X Circ. to Surv  AUG 199  ed by the prope	face * face *
* Cement volumes may change due to Calculate from Caliper log.  EIGHT-POINT RESOURCE PROTECTION PLAN  I hereby certify that Coastal Oil & Case Interest Owners to conduct lease	hole s  ATTAC Gas Cose ope	AUG 12  Size.  DIVISION  CHED. OIL GAS & M  Proporation is augrations associa	180 s 1945 B 1991 Of INING thorize	QUANTITY OF CEMENT  X Circ. to Surv  X Circ. to Surv  AUG 199  ed by the properth this Applica	face * face *
* Cement volumes may change due to Calculate from Caliper log.  EIGHT-POINT RESOURCE PROTECTION PLAN  I hereby certify that Coastal Oil & Case Interest Owners to conduct least tion for Permit to Drill the NBU #160	hole s  ATTAC Gas Cose ope	AUG 12  Size.  DIVISION  CHED. OIL GAS & M  Orporation is au erations associa deral Lease # UT	1991 Of INING thorized wi U-0576	ed by the properth this Applica. Bond coverage	face * face *
* Cement volumes may change due to Calculate from Caliper log.  EIGHT-POINT RESOURCE PROTECTION PLAN  I hereby certify that Coastal Oil & Lease Interest Owners to conduct least tion for Permit to Drill the NBU #166 pursuant to 43 CFR 3104 for lease according to PROTECTION PLAN	ATTAC Gas Cose ope 6, Fed	AUG 12  Size.  DIVISION  CHED. OIL GAS & M  Orporation is au  erations associa deral Lease # UT ies is being pro	1991 Of thorized wided by 1905 1905 1905 1905 1905 1905 1905 1905	ed by the properth this Application Court of Survival 199	face * face *  39)
* Cement volumes may change due to Calculate from Caliper log.  EIGHT-POINT RESOURCE PROTECTION PLAN  I hereby certify that Coastal Oil & Case Interest Owners to conduct least tion for Permit to Drill the NBU #166 pursuant to 43 CFR 3104 for lease acc Gas Corporation, Nationwide Bond # Co	ATTAC Gas Cose ope 6, Fec tivit:	AUG 12  Size.  DIVISION  CHED. OIL GAS & M  Orporation is au  erations associated as a series of the	1991 Of thorizeted will U-0576 vided espons	ed by the properth this Application Country of CEMENT X Circ. to Survival 199	face * face *  300
* Cement volumes may change due to Calculate from Caliper log.  EIGHT-POINT RESOURCE PROTECTION PLAN  I hereby certify that Coastal Oil & Lease Interest Owners to conduct least tion for Permit to Drill the NBU #16 pursuant to 43 CFR 3104 for lease ac Gas Corporation, Nationwide Bond # C0 with all the terms and conditions of	ATTAC Gas Cose ope 6, Fec tivit:	AUG 12  Size.  DIVISION  CHED. OIL GAS & M  Orporation is au  erations associated as a series of the	1991 Of thorizeted will U-0576 vided espons	ed by the properth this Application Country of CEMENT X Circ. to Survival 199	face * face *  300
* Cement volumes may change due to Calculate from Caliper log.  EIGHT-POINT RESOURCE PROTECTION PLAN  I hereby certify that Coastal Oil & Case Interest Owners to conduct least tion for Permit to Drill the NBU #166 pursuant to 43 CFR 3104 for lease acc Gas Corporation, Nationwide Bond # Co	ATTAC Gas Cose ope 6, Fec tivit:	AUG 12  Size.  DIVISION  CHED. OIL GAS & M  Orporation is au  erations associated as a series of the	1991 Of thorizeted will U-0576 vided espons	ed by the properth this Application Country of CEMENT X Circ. to Survival 199	face * face *  300
* Cement volumes may change due to Calculate from Caliper log.  EIGHT-POINT RESOURCE PROTECTION PLAN  I hereby certify that Coastal Oil & Lease Interest Owners to conduct least tion for Permit to Drill the NBU #16 pursuant to 43 CFR 3104 for lease ac Gas Corporation, Nationwide Bond # C0 with all the terms and conditions of	ATTAC Gas Cose ope 6, Fec tivit:	AUG 12  Size.  DIVISION  CHED. OIL GAS & M  Orporation is au  erations associated as a series of the	1991 Of thorizeted will U-0576 vided espons	ed by the properth this Application Country of CEMENT X Circ. to Survival 199	face * face *  300

**NOTICE OF APPROVAL** 

APPROVAL DATE ASSIGTATE MANAGED

District Drilling Manager

CONDITIONS OF APPROVAL ATTACALD TO OPERATOR'S CORY

July 25, 1991

AUG 1 4 1981

\*See Instructions On Reverse Side Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

H-080-1111 -1111

#### CONDITIONS OF APPROVAL

# FOR APPLICATION FOR PERMIT TO DRILL

Company/Operator: COASTAL OIL & GAS CORP.

Well Name & Number: NBU-166

Lease Number: U-0576

Location: SWSE Sec. 28 T. 9S R. 21E

Surface Ownership: Federal

#### NOTIFICATION REQUIREMENTS

Location Construction at least forty-eight (48) hours prior to construction of location and access roads.

Location Completion prior to moving on the drilling rig.

Spud Notice at least twenty-four (24) hours prior to spudding the well

Casing String and at least twenty-four (24) hours prior to running Cementing casing and cementing all casing strings.

BOP and Related at least twenty-four (24) hours prior to initiating Equipment Tests pressure tests.

First Production within five (5) business days after new well begins Notice

or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

#### A. DRILLING PROGRAM

# 1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

### 2. Pressure Control Equipment

Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

# 3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at + 2310 ft.

# 4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

# 5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the Authorized Officer. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the Authorized Officer (AO).

A cement bond log (CBL) shall be utilized to determine the  $\underline{\text{top}}$  of cement (TOC) and bond quality for the production casing.

### 6. Notifications of Operations

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells, as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of thirty (30) days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the AO. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

All site security regulations, as specified in Onshore Oil and Gas Order No. 3, shall be adhered to.

## 7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from

the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka
Petroleum Engineer

Ed Forsman
Petroleum Engineer

BLM FAX Machine

(801) 781-1190

(801) 789-7077

### EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous:

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids.

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt wastes.

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers
Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation, and miscellaneous solids

Form 3160-5 (December 1989)

### UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135

	OF THE INTERIOR	Expires: September 30, 1990
BUREAU OF LA	AND MANAGEMENT	5. Lease Designation and Serial No.
SUNDRY NOTICES A	ND REPORTS ON WELLS	UTU-0576
		6. If Indian, Allottee or Tribe Name
Do not use this form for proposals to drill	or to deepen or reentry to a different reservoir.	
USE APPLICATION FOR	PERMIT—" for such proposals	Not Applicable
SUBMIT I	N TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		Natural Buttes
Oil X Gas Other	•	8. Well Name and No.
2. Name of Operator		NBU #166
Coastal Oil & Gas Corporat	ion	9. API Well No.
3. Address and Telephone No.		43-047-32065
	80201-0749; Phone: (303) 573-4478	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Desci	ription)	Natural Buttes
		11. County or Parish, State
941' FSL, 1693' FEL Section	n <b>2</b> 8, T9S, R21E	
		Uintah Co., Utah
CHECK APPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
_	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	🛛 Other Change Dri	lling Prognosis
	(Note: Report results or Recompletion Report as	f multiple completion on Well Completion or nd Log form.)
3. Describe Proposed or Completed Operations (Clearly state all pe	rtinent details, and give pertinent dates, including estimated date of starting	any proposed work. If well is directionally drilled,
give subsurface locations and measured and true vertical of	lepths for all markers and zones pertinent to this work.)*	/
04-1 041 0 0 0		
coastal U11 & Gas Corporati	on requests a variance to the exist	ing rules and
regulations requiring the t	plooie line to be not less than 100	teet from the

borehole.

This well is being drilled with air mist injecting water at the rate of 15--20 gpm until they reach the lost circulation zone. Then the rig pumps are utilized using aerated water at the rate of 190 gpm to total depth.



AUG 3 0 1991

DIVISION OF

	OIL GAS & MINING
14. I hereby certify that the foregoing is true and correct	OF LITAL DIVICION OF
Signed Nace Destroy	Title Authorized Agental GAS AND AND 26, 1991
(This space for Federal or State office use)	10/3/0/
Approved by	Title DATE: 10/3/4
Conditions of approval, if any:	BY: Jalketto

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## DIVISION OF OIL, GAS AND MINING

WATER PERMIT OK

API NO. 43-047-32065

# SPUDDING INFORMATION

NAME OF WITHANY:_	COASTAL	OIL &	GAS CURP	ORALIUN .			
WELL NAME:	NBU #166	5			····		
SECTION SWSE 28	_Township	9s_	RANGE_	21E	_COUNTY	UINTAH	
DRILLING CONTRACT	TOR	COASTA	L	· · · · · · · · · · · · · · · · · · ·	••		
RIG #2			•	•			-
SPUDDED: DATE_	9-13-91		•		•		
	10:00 a.m. DRY HOLE		•				•
How		٠	:			•	
DRILLING WILL CO	MENCE 9-23	-91		•	•	• 	
•						46	
REPORTED BY	LEON ROSS			•			
TELEPHONE #	722–4469				•		
		•	-				
,	•						
	•						
DATE	9–13–91		<u> </u>	SIGNED_	TAS	S/SBH	

Form 2160-5 June 1990)

### UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FO	RM APPR	OVED
Budget (	garenn vo	. 1004-0135
Expur	es: Marce	31, 1993

	CYDINES: W	31. 199	73
Lessa	<b>Designation</b>	Serve	No.

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS
--------	---------	-----	---------	----	-------

Do not use this form for proposals to drill or to geepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

6. If Indian, Allottee or Tribe Name

UTU-0576

N/A

SUBMIT	TIN TRIPLICATE	7. If Unit or CA, Agreement Designation
Type or Well Gas Other		Natural Buttes Unit 8. Well Name and No.
Coastal Oil & Gas Corporation		NBU #166 9. API Weil No.
P. O. Box 749 Denver, CO	80201-0749 (303) 573-4476	43-047-32065
941' FSL & 1693' FEL	Description)	Natural Buttes
Section 28, T9S-R21E	(-) TO 1) (-) (-)	Uintah County, Utah
TYPE OF SUBMISSION	(S) TO INDICATE NATURE OF NOTICE, RE	· · · · · · · · · · · · · · · · · · ·
Notice of Intens	Abandonment	Change of Plans
Subsequent Report	Recompletion Plugging Back Caung Recour	New Construction Non-Routine Fractions Water Shut-Off
Final Abandonment Notice	Alteres Casing  X Other Report of Spud	Conversion to (njection  Dispose Water (Nest: Report return of dislications with

res and true vertical depths for all markers and some periment to this work.)\*

MIRU Leon Ross Drilling. Spud surface hole @ 10:00 a.m., 9/13/91. Drilled 12-1/4" hole to 255'. Ran 6 jts of 8-5/8", 24#, K-55, ST&C csg and set @ 263' KB. Cemented w/150 sx premium cement + additives. Cmt in place @ 12:30 p.m., 9/14/91.



**DIVISION OF** OIL GAS & MINING

Tide Regulatory Analyst	Date 9/19/91
Tide	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person anowingly and writfully to m

STATE OF UTAH DIVISION OF OIL, GAS AND MINING ENTITY ACTION FORM - FORM 6

Coastal Oil & Gas Corporation **OPERATOR** 

OPERATOR ACCT. NO.

P. O. Box 749 ADDRESS \_\_

Denver, Colorado 80201-0749

ACTION	CURRENT	NEW	API NUMBER	WELL N	AME			WELL	OCATIO	<u></u>	SPUD	EFFECTIVE
CODE	ENTITY NO.	ENTITY NO.				QQ	sc	TP	RG	COUNTY	DATE	DATE
В	2900 -	->	43-047-32065	NBU #166		SW/SE	28	9S	21E	Uintah	9/13/91	9/13/91
WELL 1 C	OMMENTS:		Entity added 9	30-91.							<del></del>	
			, <sub>f</sub>	fæ								
		•									•••	
В.	2900-	$\Rightarrow$	43-047-32057 Entity added 9-	NBU #165		NE/NW	3	10S	22E	Uintah	9/17/91	9/17/91
ELL 2 C	OMMENTS:		Entity added 9-	3o-૧ા .		· · · · · · · · · · · · · · · · · · ·			·			<del>'</del>
			1	for								
		·										
WELL 3 C	DMMENTS:		<del></del>			<u>'</u>						
		<u> </u>										
WELL 4 C	OMMEN15:										•	
ļ									•			
		i		*		· · · · · · · · · · · · · · · · · · ·				<del></del>		
		:										
WELL 5 CO	OMMENTS:		***************************************		***************************************	·	····································	·'		<del></del>		
				<b>√</b>								
										16.		~
ACTION CO	DES (See in	structions	on back of form)							Polle	11 / 1/2	4:11 6

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

SEP 2 3 1991

**DIVISION OF** OIL GAS & MINING

Regulatory Analyst Title

Phone No. (303 ) 573-4476

Form 3160-5 (December 1989)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: September 30, 1990

DUDEALLOR	LAND MANAGEMENT	f I are Decision and Carlot No.
BUREAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No.
SUNDRY NOTICES	AND REPORTS ON WELLS	UTU-0576 6. If Indian, Allottee or Tribe Name
	rill or to deepen or reentry to a different reservoir.	6. If Indian, Anottee of Tribe Name
	OR PERMIT—" for such proposals	Al. 4 A. 7 - 17 -
		Not Applicable
SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
	<b>.</b>	
1. Type of Well		Natural Buttes  8. Well Name and No.
Oil Gas Other		
2. Name of Operator		NBU #166
Coastal Oil & Gas Corpor	ation	9. API Well No.
3. Address and Telephone No.		43-047-32065
P. O. Box 749, Denver, Co	0 80201-0749; Phone: (303) 573-4478	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey I	Description)	Natural Buttes
		11. County or Parish, State
941' FSL, 1693' FEL Sect	ion 28, T9S, R21E	
		Uintah Co., Utah
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
477		
TYPE OF SUBMISSION	TYPE OF ACTION	
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
First About and Notice	·	Conversion to Injection
L Final Abandonment Notice	Altering Casing	L Conversion to infection
L. Final Abandonment Notice	Altering Casing  Change Dri	
Final Abandonment Notice	Other Change Dri (Note: Report results of	lling Prognosis multiple completion on Well Completion or
	Other Change Dri (Note: Report results of Recompletion Report as	lling Prognosis  multiple completion on Well Completion or and Log form.)
13. Describe Proposed or Completed Operations (Clearly state a	Other Change Dri (Note: Report results of	lling Prognosis  multiple completion on Well Completion or and Log form.)
13. Describe Proposed or Completed Operations (Clearly state a	Other  Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting	lling Prognosis multiple completion on Well Completion or and Log form.)
Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice)	Other  Change Dri (Note: Report results of Recompletion Report and pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*	Iling Prognosis  f multiple completion on Well Completion or and Log form.)  any proposed work. If well is directionally drilled
Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice)  Coastal Oil & Gas Corporations	Other  Change Dri (Note: Report results of Recompletion Report an all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist	Iling Prognosis multiple completion on Well Completion or ad Log form.) any proposed work. If well is directionally drilled ing rules and
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corpora regulations requiring the	Other  Change Dri (Note: Report results of Recompletion Report and pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*	Iling Prognosis multiple completion on Well Completion or ad Log form.) any proposed work. If well is directionally drilled ing rules and
Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice)  Coastal Oil & Gas Corporations	Other  Change Dri (Note: Report results of Recompletion Report an all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist	Iling Prognosis multiple completion on Well Completion or ad Log form.) any proposed work. If well is directionally drilled ing rules and
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corpora regulations requiring the borehole.	Other  Change Dri (Note: Report results of Recompletion Report and Intercompletion Recompletion Report and Intercompletion Recompletion Report and Intercompletion Recompletion Report and Intercompletion Recompletion Report and Intercompletion Recompletion Report and Intercompletion Report and Intercompletion Recompletion Report and Intercompletion Report and Intercompletion Recompletion Re	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled in graph of the feet from the
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corpora regulations requiring the borehole.  This well is being drille	Other  Change Dri (Note: Report results of Recompletion Report as all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100 ed with air mist injecting water at the	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constants of the constant of the consta	Other  Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100  ed with air mist injecting water at the lost circulation zone. Then the rig	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constants of the constant of the consta	Other  Change Dri (Note: Report results of Recompletion Report as all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100 ed with air mist injecting water at the	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constants of the constant of the consta	Other  Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100  ed with air mist injecting water at the lost circulation zone. Then the rig	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constants of the constant of the consta	Other  Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100  ed with air mist injecting water at the lost circulation zone. Then the rig	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constants of the constant of the consta	Other  Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100  ed with air mist injecting water at the lost circulation zone. Then the rig	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constants of the constant of the consta	Other  Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100  ed with air mist injecting water at the lost circulation zone. Then the rig	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constant of the constan	Change Dri (Note: Report results of Recompletion Report art all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  attion requests a variance to the exist e blooie line to be not less than 100 ed with air mist injecting water at the lost circulation zone. Then the rigulater at the rate of 190 gpm to total described to the results of the rigulater at the rate of 190 gpm to total described to the results of the results of the results of the rigulater at the rate of 190 gpm to total described to the results of the results	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice constant of the constan	Other  Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  ation requests a variance to the exist e blooie line to be not less than 100  ed with air mist injecting water at the lost circulation zone. Then the rig	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corpora regulations requiring the borehole.  This well is being drilled gpm until they reach the utilized using aerated well.	Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  attion requests a variance to the exist e blooie line to be not less than 100 ed with air mist injecting water at the lost circulation zone. Then the rig ater at the rate of 190 gpm to total depths for all pages.	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corpora regulations requiring the borehole.  This well is being drilled gpm until they reach the utilized using aerated well.	Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  attion requests a variance to the exist e blooie line to be not less than 100 ed with air mist injecting water at the lost circulation zone. Then the rig ater at the rate of 190 gpm to total depths for all pages.	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corporaregulations requiring the borehole.  This well is being drilled gpm until they reach the utilized using aerated well is a grant of the complete com	Change Dri (Note: Report results of Recompletion Report and Interception Repor	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corporaregulations requiring the borehole.  This well is being drilled gpm until they reach the utilized using aerated well is described by the color of t	Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  attion requests a variance to the exist e blooie line to be not less than 100 ed with air mist injecting water at the lost circulation zone. Then the rig ater at the rate of 190 gpm to total depths for all pages.	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corporaregulations requiring the borehole.  This well is being drilled gpm until they reach the utilized using aerated well is a grant of the complete com	Change Dri (Note: Report results of Recompletion Report and Interception Repor	Iling Prognosis I multiple completion on Well Completion or and Log form.) any proposed work. If well is directionally drilled ing rules and feet from the e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corporaregulations requiring the borehole.  This well is being drilled gpm until they reach the utilized using aerated well is described by the color of t	Change Dri (Note: Report results of Recompletion Report and II) pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  attion requests a variance to the exist e blooie line to be not less than 100 and with air mist injecting water at the lost circulation zone. Then the rigulater at the rate of 190 gpm to total depths for all markers and zones.  CT 0 3 1991  DIVISION OF GAS & MINING	Iling Prognosis I multiple completion on Well Completion or and Log form.)  any proposed work. If well is directionally drilled ing rules and feet from the  e rate of 15-20 pumps are epth.
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice of the state of	Change Dri (Note: Report results of Recompletion Report at all pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  attion requests a variance to the exist e blooie line to be not less than 100 ed with air mist injecting water at the lost circulation zone. Then the rigater at the rate of 190 gpm to total description of the results of the complete date of the exist expenses of the exist exist expenses of the exist expenses of the exist expenses of the exist exist expenses of the exist expenses of the exist expenses of the exist exist expenses of the exist expenses of the exist expenses of the exist exist expenses of the exist	Iling Prognosis I multiple completion on Well Completion or and Log form.)  any proposed work. If well is directionally drilled ing rules and feet from the  e rate of 15-20 pumps are epth.  Date August 26, 1991
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice coastal Oil & Gas Corporategulations requiring the borehole.  This well is being drill gpm until they reach the utilized using aerated well is gpm until they reach the utilized using aerated well is gpm until they reach the utilized using aerated well.	Change Dri (Note: Report results of Recompletion Report and II) pertinent details, and give pertinent dates, including estimated date of starting ical depths for all markers and zones pertinent to this work.)*  attion requests a variance to the exist e blooie line to be not less than 100 and with air mist injecting water at the lost circulation zone. Then the rigulater at the rate of 190 gpm to total depths for all markers and zones.  CT 0 3 1991  DIVISION OF GAS & MINING	Iling Prognosis I multiple completion on Well Completion or and Log form.)  any proposed work. If well is directionally drilled ing rules and feet from the  e rate of 15-20 pumps are epth.

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S CORY

Date \_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Approved by Conditions of approval, if any:

Coastal Oil & Gas Corp. Well No. NBU 166 Lease U-0576

### CONDITIONS OF APPROVAL

We have reviewed your proposal for technical adequacy and concur with the request providing the following stipulations are included as a part of the approval.

- 1. Your request is approved to a depth of 1500 ft.
- 2. Air mist drilling will not be allowed below a depth of 1500 ft. unless the blooie line is extended out at least 100 ft. from the well bore as per the requirements of Onshore Oil and Gas Order No. 2.

OCT 0 3 1991

DIVISION OF OIL GAS & MINING

13. Describe Proposes of Completon Operation (Clearly state all pertor

inue (2550)	FORM APPROVED  Budget Burenn No. 1004-0135  EXDITE: Maren 31, 1993		
Do not use this f	SUNDRY NOTICES AN	ND MANAGEMENT  ID REPORTS ON WELLS  or to deepen or reentry to a different rese  ERMIT—" for such proposals	5. Lease vesignation and Serve No.  UTU-0576  6. If Inguan. Allottes or Entry Name  N/A
	S <b>UBMIT</b> IN	TRIPLICATE	7. If Unit or U.A. Agreement Designment
Type or well			Natural Buttes Unit
WellWell	Other		8. Well Name and No.
	& Gas Corporation	····	- <u>NBU #166</u>
Aggress and Celephone			9. API Wett No.
P. O. Box 749		201-0749 (303) 573-4476	43-047-32065
عند - باندوست ot well (Foots	ee. Sec., T., R., M., or survey Descrip	non)	Natural Buttes
941' FSL & 10	693' FEL		11. County or Paren. State
Section 28,			Uintah County, Utah
SHECK	APPROPRIATE BOX(s) 1	O INDICATE NATURE OF NOTICE. F	REPORT OR OTHER DATA
TYPE OF	SUBMISSION	TYPE OF A	
- Notice o	or interes	Abandonomens	Change of Plans
X Subtequ	ens Accoun	Recommence Pluggag Back	New Construction Non-Routine Francisco
T Final Al	PARGOOTHUE NOTICE	Crime Report  Alterna Crima  Report of Oper	Wester Shut-Off Conversion to (a)
			Note: Aspen remain of designation and designation of the second s

give subsurface locations and measures and true vertical decips for all markets and arms pertinent to this work.10

Please see the attached chronological report for the drilling operations performed on the above referenced well.



**DIVISION OF** OIL GAS & MINING

Sienea Willia Mun Aly Tide	Regulatory Analyst	10/8/91
Approves by Condumns or State ortine sales  Approves by Title Condumns or approves, at any:		Date
Fide 18 U.S.C. Section (UO), makes a a crime for any pursua goowysely and was	Media (n	

### COASTAL OIL & GAS CORPORATION CHRONOLOGICAL HISTORY

SW/SE SECTION 28-T9S-R21E

NBU #166 NATURAL BUTTES UNIT UINTAH COUNTY, UTAH

WI: 60% COGC AFE: 13176

ATD: 6300' (WASATCH) SD: 9/28/91

CSG: 8-5/8" @ 263' KB

DHC(M\$): 158.9

- 9/19/91 263' KB WORT. Spud 10:00 a.m., 9/13/91 w/Leon Ross Drilling. Drill 12-1/4" hole to 255'. run 6 jts (251.02') 8-5/8" 24# K-55 ST&C csg. FS = 263' KB. Cmt w/Howco: 150 sx Prem + AG, 2% CaCl<sub>2</sub>, 1/4#/sk Flocele. Displace w/14 bbls wtr. Circ 7 bbls to pit. Cmt in place 12:30 p.m., 9/14/91. CC: \$24,039.
- 9/29/91 825' Drlg 562'/8 hrs. RURT. Test BOP, rams, manifold, valves to 2000 psi; Hydril & csg to 1500 psi. Notified BLM, no witness. Lost 125 psi/30 min on csg. PU bit-SS, DC's. MU rot hd rbr. Blow hole. Drill cmt 220', FS @ 263'. Drlg, svy. Spud well @ 9:30 p.m., 9/28/91. Drlg w/mist. pH 9.0, 1200 SCFM. Svy: 3/4 deg @ 730'. CC: \$37,805.
- 9/30/91 2265' Drlg 1440'/22.5 hrs. Drlg, hit wtr @ 1047'. Svy: 2 deg @ 1203'; 3/4 deg @ 1707'. Drlg w/aerated wtr. pH 9.0, 400 CFM. CC: \$45.830.
- 10/1/91 3360' Drlg 1095'/22 hrs. Svys: 1-3/4 deg @ 2213'; 1 deg @ 2719'; 1-1/2 deg @ 3223'. Drlg, RS, work BOP. Drlg w/aerated wtr. pH 9.0, 400 CFM. CC: \$53,944.
- 10/2/91 4320' Drlg 960'/23 hrs. Drlg, svy: 2 deg @ 3727'. RS, drlg w/aerated wtr. pH 9.0, 500 SCFM. CC: \$60,156.
- 10/3/91 5160' Drlg 840'/22.5 hrs. Drlg, svys: 1-3/4 deg @ 4296'; 1-1/2 deg @ 4799'. RS, work BOP. Drlg w/aerated wtr. pH 9.0, 500 SCFM. CC: \$68,747.
- 10/4/91 5640' Drlg 480'/18.5 hrs. Drlg, TFNB. RS, work BOP. TIH, wash 55' to btm no fill. Drlg w/aerated wtr. pH 9.0, 500 SCFM. CC: \$87,711.
- 10/5/91 6300' Circ 660'/21 hrs. Drlg, RS, drlg. Circ, make 12 stds short trip. Circ, drlg w/aerated wtr. pH 9.0, 500 CFM. CC: \$98,076.
- 10/6/91 6300' Washing to btm. Spot 400 bbls 10# brine. POH w/SLM, no correction. RU Howco. Log well: CLL-CDL-CSN-GR-Cal from 6278' to 253'. RD Howco. TIH, RU LD machine. LD DP & DC's. RU csg tools. Ran 153 jts, 6304.7' 5-1/2", 17#, LT&C J-55 csg. Shoe @ 6298'. FC @ 6256'. RU & wash 50' to btm. CC: \$151,817.
- 10/7/91 6300' WOCU. RU Howco, pump 20 bbls Flush; 215 sx HyFill, 1#/sk Capseal, 0.3% HR-7; 545 sx Type V, 50-50 Poz, 2% gel, 10% salt, 0.6% Halad 24, 0.3% CFR-3, 1/4#/sk Flocele, 1#/sk Capseal; 145½ bbl FW. Bump plug @ 2000 psi, 500# over. Floats held, no returns throughout. RD Howco. Set slips w/100M#. ND BOP, cut csg, clean kpits. Rig released @ 10:00 a.m., 10/6/91. CC: \$181,349. FINAL DRILLING REPORT.

Form 3160-4 (November 1983) (formerty 9-330)



Form approved. Budget Bureau No. 1004-0137 Expires August 31, 1985

		RTMENT ( BUREAU OF LA				₹	struct	therin- tons on w side)	5 DEASE DES		AND SERIAL NO.
WELL CON	APLETIO	N OR RECC	MPLETIC	ON R	EPORT A	ANE	LOC	3 *	6. IF INDIAN.		OR TRIBE NAME
1a. TYPE OF WELL	-: (	WELL GAR			0.621516	' va une entre e	11/4	Married Services	N/A 7. UNIT AGRE	EMENT NAL	
b. TYPE OF COMP	LETION:	***************************************	יאט טאי	<i>,</i> —		Septembrie	date land	2011	Natural		- <del>-</del>
	OVER	DEED- DACK	DIFF.	ı. 🔲	Other			- April actor	N. FARM OR L	EASE NAMI	1
2. NAME OF OPERATO					<u> </u>	<del>V 2</del>	<del>5 199</del> 1		NBU		
Coastal Ui		Corporation							9. WELL NO.		
P. O. Box 7		Denver, Co	30201.	_074Q	- BN	ŲŞΙÇ	)NOF.	76	#166	9001. OR	WILDCAT
4. LOCATION OF WELL	L (Report loc	ation clearly and is	accordance	cith an	Statt requir	AS S	WINIT	IC—	Natural	- · · · · - · · · - ·	
At surface	941' FSL	& 1693' FEI	_ (SW/SE)	)					·		OCK AND BURYBY
At top prod. inte	rvai reported	below Same	as abov	ve.					OR AREA		
At total depth	Same a	s above.							Cantion	20 TO	: D01F
			14. PER	MIT NO.	<del></del>	DATE I	SSUED		Section 12. countr of	<u> 28, 193</u>	3. STATE
			43-04	<del>1</del> 7-32	065	8/1	6/91		Uintah		Utah
5. DATE EPUDDED	16. DATE T.	.	TE COMPL. ()	-	prod.) 18.		-		T, GB. ETC.)*	19. ELEV.	CASINGREAD
9/13/91	10/4/	91   PLUG, BACK T.D., MD	10/14/9		TIPLE COMPL		4' GR		6 KB		
6300'		6241	22.	HOW M	TIPLE COMPL., ANY			LED SY		. <b>s</b> c	ABLE TOOLS
4. PRODUCING INTER	AL(B), OF TR	OZ41 HB COMPLETION—T	DP. BOTTOM, N	AME (M	D AND TVD)*	ļ		<del></del>	SFC-TD		a DIRECTIONAL
											LVET MADS
4934 ' - 57!										No	
6. TTPE ELECTRIC AL	OTHER LOC	AL LATERO	ر <u>د</u>							27. WAS W	BLL CORED
FDC-CNL,	CBL 20	AL LATERO MPENSATE								No	
CASING SIZE	WEIGHT,		SING RECOR		ort all strings LE SIZE	set in		ENTING	RECORD	I AN	OUNT PULLED
8-5/8"	24#	20	53'	12-	1/4"	150	) sx P	remiu	m + Add.		one
5-1/2"	17#	629	98'	7-	778"	760	) sx H	iFill	& Type V		one
9.		LINER RECOR	<u></u>			<u> </u>					
eizz I	TOP (MD)	BOTTON (MD)	BACKE CEN	42420 }	SCREEN (M)	<del></del>  -	30. 8122		PUBING RECO		EER ORT (MD)
-			-			<del></del>  -		-		<del>"   "</del>	
						<del> </del> -		—		—	
1. PERFORATION RECO Perf'd W/4" (	RD (Interval	aire and number)	denths.	•	<b>32.</b>	ACI	D. SHOT	FRACT	ure. Cement	SQUEEZI	L ETC.
4934' 5729		e lottowing	depuis.		DEPTH INT				OUNT AND KIR		
4936' 5736					<u>4934-5</u>	<u>753 '</u>		<u>4000</u>	gals 3%	KC1 wtr	r & 16 BS'
5705' 5744					ļ	***				<del></del>	
<b>5717' 575</b> 3	3'						<del></del>		<u></u>		
3.•					NOITON			·····	<del>- v</del>		
ATE FIRST PRODUCTION	ON PE	ODUCTION METHOD		lift, p	mping—eise	and ty	pe of pun	np)		STATUS (PY	oducing or
10/12/91	HOURS TEST	Flowing	<del></del>							- 21	
10/14/91	24	6/64	7707 7		OIL—BEL.	1	GAR—NO		WATER—BEL		/ A
TOV. TUBING PROC.	CASING PRES	SURE CALCULATE	011,81		O GAS-	M CF.	20	WATER-	- MBL.	OIL GRAVIT	T-API (CORR.)
725	900	24-HOUR R.	ATE	0		00			0	N/	
4. DISPOSITION OF GA	z (Bold, wood	for fuel, vented, etc	2.)				<u> </u>		TROT WITNES	580 ST	
WOPI									W. Rawl	ings	
O. LIST OF ATTACEM							- <del></del>				
6. I hereby pertify	ان Mat the fore:	ronological	information	is com-	lete and asses	<b>Let ac</b>	determin	ed from	all aveilable =	corde	
19	nilla.	Il mulli h	101						en erenevit fi		20/01
BIGNES	weev!	I AMU K	27 TIT	<u>ше _R</u>	egulator	y Ar	naiyst		DATE	11/2	20/91

	TOP	TRUE VERT, DEPTH	4863
GEOLOGIC MARKERS	TC	WEAS, DEPTH	4863'
38. GEOI		NAME	Wasatch
SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):	DESCRIPTION, CONTENTS, ETC.		•
ow all important erval tested, cus	воттом		
OUS ZONES: (Sheluding depth Int	TOP		
37. SUMMARY OF PORC drill-stem, tests, increveries):	FORMATION		

### COASTAL OIL & GAS CORPORATION CHRONOLOGICAL HISTORY

SW/SE SECTION 28-T9S-R21E

NBU #166

NATURAL BUTTES UNIT UINTAH COUNTY, UTAH

WI: 60% COGC AFE: 13176

ATD: 6300' (WASATCH) SD: 9/28/91 CSG: 8-5/8" @ 263' KB

DHC(M\$): 158.9

- 263' KB WORT. Spud 10:00 a.m., 9/13/91 w/Leon Ross Drilling. Drill 12-1/4" hole to 255'. run 6 jts (251.02') 8-5/8" 24# K-55 ST&C csg. FS = 263' KB. Cmt w/Howco: 150 sx Prem + AG, 2% CaCl<sub>2</sub>, 1/4#/sk Flocele. Displace w/14 bbls wtr. Circ 7 bbls to pit. Cmt in place 12:30 p.m., 9/14/91. CC: \$24,039. 9/19/91
- 9/29/91 Drlg 562'/8 hrs. RURT. Test BOP, rams, manifold, valves to 2000 psi; Hydril & csg to 1500 psi. Notified BLM, no witness. Lost 125 psi/30 min on csg. PU bit-SS, DC's. MU rot hd rbr. Blow hole. Drill cmt 220', FS @ 263'. Drlg, svy. Spud well @ 9:30 p.m., 9/28/91. Drlg w/mist. pH 9.0, 1200 SCFM. Svy: 3/4 deg @ 730'. CC: \$37,805.
- 2265' Drlg 1440'/22.5 hrs. Drlg, hit wtr @ 1047'. Svy: 2 deg @ 1203'; 3/4 deg 9/30/91 @ 1707'. Drlg w/aerated wtr. pH 9.0, 400 CFM. CC: \$45,830.
- 3360' Drlg 1095'/22 hrs. Svys: 1-3/4 deg @ 2213'; 1 deg @ 2719'; 1-1/2 deg @ 3223'. Drlg, RS, work BOP. Drlg w/aerated wtr. pH 9.0, 400 CFM. CC: \$53,944. 10/1/91
- 10/2/91 4320' Drlg 960'/23 hrs. Drlg, svy: 2 deg @ 3727'. RS, drlg w/aerated wtr. pH 9.0, 500 SCFM. CC: \$60,156.
- 5160' Drlg 840'/22.5 hrs. Drlg, svys: 1-3/4 deg @ 4296'; 1-1/2 deg @ 4799'. 10/3/91 RS, work BOP. Drlg w/aerated wtr. pH 9.0, 500 SCFM. CC: \$68,747.
- 5640' Drlg 480'/18.5 hrs. Drlg, TFNB. RS, work BOP. TIH, wash 55' to btm -10/4/91 no fill. Drlg w/aerated wtr. pH 9.0, 500 SCFM. CC: \$87,711.
- 10/5/91 6300' Circ 660'/21 hrs. Drlg, RS, drlg. Circ, make 12 stds short trip. Circ, drlg w/aerated wtr. pH 9.0, 500 CFM. CC: \$98,076.
- 10/6/91 6300' Washing to btm. Spot 400 bbls 10# brine. POH w/SLM, no correction. Howco. Log well: CLL-CDL-CSN-GR-Cal from 6278' to 253'. RD Howco. TIH, RU LD machine. LD DP & DC's. RU csg tools. Ran 153 jts, 6304.7' - 5-1/2", 17#, LT&C J-55 csg. Shoe @ 6298'. FC @ 6256'. RU & wash 50' to btm. CC: \$151,817.
- 6300' WOCU. RU Howco, pump 20 bbls Flush; 215 sx HyFill, 1#/sk Capseal, 0.3% HR-10/7/91 7; 545 sx Type V, 50-50 Poz, 2% gel, 10% salt, 0.6% Halad 24, 0.3% CFR-3, 1/4#/sk Flocele, 1#/sk Capseal; 145½ bbl FW. Bump plug @ 2000 psi, 500# over. Floats held, no returns throughout. RD Howco. Set slips w/100M#. ND BOP, cut csg, clean kpits. Rig released @ 10:00 a.m., 10/6/91. CC: \$181,349. FINAL DRILLING REPORT.

# THE COASTAL CORPORATION PRODUCTION REPORT

### CHRONOLOGICAL HISTORY

PAGE 2

NBU #166 SW/SE SECTION 28-T9S-R21E NATURAL BUTTES UNIT UINTAH COUNTY, UTAH

WI: 60% COGC AFE: 13176

TD: 6300' (WASATCH) PBTD: 6256'

CSG: 5-1/2" @ 6298'

PERFS: 4934'-5753' (WASATCH)

CWC(M\$): \$358.8

- 10/8/91 MIRU completion rig. Level location. Install anchors. Prep to MIRU Welltech.
  DC: \$18,550 TC: \$199,899
- 10/9/91 Prep to run CBL. MIRU Welltech. NU BOP. PU 4-3/4" mill and 2-3/8" tbg. TIH. Tag PBTD @ 6241'. Circ hole w/160 bbls 3% KCl wtr. POH w/tbg & mill. DC: \$3,950 TC: \$203.849
- 10/10/91 Prep to breakdown perfs. RU Cutters. Ran CBL-CCL-GR log from TD to 370'. TOC @ 950'. POOH. PT csg to 5000 psi. Perf Wasatch w/8 holes from 4934' to 5753'. RIH w/2-3/8" tbg. Landed @ 4881'. SN one joint above btm. 10' blast joint on top. DC: \$4,500 TC: \$208.349
- 10/11/91 Prep to swab. RU Smith Energy. Breakdown perfs w/4000 gals 3% KCl wtr w/16 BS's. AIP 4800 psi, AIR 6.9 BPM. Good ball action, did not ball off. ISIP 2200 psi, 15 min 1390 psi. TLTR 228 bbls. Flwd back 2 hrs. Swbd back 125 bbls in 20 runs. DC: \$5,320 TC: \$213,669
- 10/12/91 Flow test well. SITP 1150 psi, SICP 900 psi. Well blew down in 5 min. Made 2 swab runs. Well kicked off. Flwd well 2 hrs @ 50 psi FTP, 20/64" chk. Open choke. Did not lift fluid. Made 1 swab run. No recovery. Put on 6/64" chk. 2:00 p.m. FTP 175 psi on 6/64" chk. DC: \$1,280 TC: \$214,949
- 10/13/91 Flwg 100 MCFD, FTP 500 psi, CP 650 psi on 6/64" chk.
- 10/14/91 Flwg 200 MCFD, FTP 725 psi, CP 900 psi on 6/64" chk.
- 10/15/91 SI waiting on frac. Flwg 350 MCFD, FTP 900 psi, CP 1000 psi on 6/64" chk. Kill well. ND tree, NU BOP. POOH w/tbg, LD tbg. RDMO CU. Drop from report until further activity. DC: \$1,450 TC: \$216,399



give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*



Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**  FORM ADDROVED


	1 0101	, W11W	~ * L'D	
Bu	dget Bun	ean No	1004-0	7175
	-			
	Expires:	March	31, 199	3
	Designat			

UTU-0576 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well Natural Buttes Unit Oil Well 8. Well Name and No. 2. Name of Operator NBU #166 Coastal Oil & Gas Corporation 9. API Well No. 3. Address and Telephone No. 43-047-32065 P. O. Box 749 Denver, CO 80201-0749 (303) 573-4476 10. Field and Pool, or Exploratory Area 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Natural Buttes 941' FSL & 1693' FEL (SW/SE) 11. County or Parish, State Section 28, T9S-R21E Uintah County, Utah 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection X Other Pipeline Right-of-Way Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log (orm.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled,

Coastal Oil & Gas Corporation requests a right-of-way to install a 4" gas pipeline from the NBU #166 gas well and tie into the existing gas pipeline. This right-of-way will be located in Section 28, T9S-R21E within lease UTU-0576 and within the Natural Buttes Unit boundaries. Coastal requests a 30' width easement with a total slope distance of  $\pm 1585$ '. There will be minimum surface disturbance as the pipeline will be laid on the surface. Please see the

attached topographic map which illustrates this proposed ATTGht-of-way. OF UTAH DIVISION OF OIL, GAS, AND MINING NOV 2 9 1531 DIVISION OF OH CASE WINDS Regulatory Analyst 11/25/91 Title Approved by \_\_\_\_\_\_ Conditions of approval, if any: Title

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Form 3160-5 (June 1990)	UNI DEPARTMEN	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993	
	BUREAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No.
	SUNDRY NOTICES	AND REPORTS ON WELLS	UTU-0576
Do not use this		ill or to deepen or reentry to a different reservoir.	6. If Indian, Allottee or Tribe Name
	Use "APPLICATION FO	R PERMIT—' for such proposals	N/A
	SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1 Type of Well			Natural Buttes Unit
□ Oil	as /ell Other		8. Well Name and No.
2. Name of Operator	- Const		NBU #166
Coastal Oi	.1 & Gas Corporation		9. API Well No.
3 Address and Telepho	one No.		43-047-32065
P. O. Box		80201-0749 (303) 573-4476	10. Field and Pool, or Exploratory Area
	ootage. Sec., T., R., M., or Survey D	escription)	Natural Buttes
	1693' FEL (SW/SE)		11. County or Parish, State
Section 28	3, T9S-R21E		
			Uintah County, Utah
		s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE	OF SUBMISSION	TYPE OF ACTION	
Noti	ice of Intent	Abandonment	Change of Plans
_		Recompletion	New Construction
X Subs	sequent Report	Plugging Back	Non-Routine Fracturing
		Casing Repair	Water Shut-Off
L Fina	al Abandonment Notice	Altering Casing	Conversion to Injection
	:	X Other Fracture Treatment	Dispose Water
		pertinent details, and give pertinent dates, including estimated date of starting	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Please see		al depths for all markers and zones pertinent to this work.)*  ological history for the fracture treation and the second	atment procedure
		MAR (	0 5 1992
			ION OF 6 & MINING
14. I hereby certify that	the foregoing is true and correct	Mary	0.400
Signed	very Jamu	Meyride Regulatory Analyst	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent state or representations as to any matter within its jurisdiction.

Title \_

(This space for Federal or State office use)

Approved by Conditions of approval, if any:

## THE COASTAL CORPORATION PRODUCTION REPORT

### CHRONOLOGICAL HISTORY

NBU #166 SW/SE SECTION 28-T9S-R21E NATURAL BUTTES UNIT UINTAH COUNTY, UTAH

WI: 60% COGC AFE: 13176

TD: 6300' (WASATCH) SD: 9/28/91

CSG: 5-1/2" @ 6298'

PERFS: 4934'-5753' (WASATCH)

CWC(M\$): \$358.8

- 12/13/91 Prep to kill well and finish RIH w/tbg. MIRU Pool Company rig #298. Killed well. ND WH, NU BOP. RIH w/32 jts 2-3/8" tbg. DC: \$3,240 TC: \$219,639
- 12/14/91 SI, WO frac. Killed well. Finish RIH w/tbg. Ran 154 jts tbg and landed @ 4891'. ND BOP, NU WH. RDMO Pool rig #298.

  DC: \$1,450 TC: \$221,089
- 12/24/91 Flow back after frac. MIRU Western on 12/22/91. Frac well on 12/23/91. Pump 99,036 gals gel w/173,253# sand with 30% CO<sub>2</sub>. AIR 30 BPM @ 3650 psi. ISIP 2000 psi, 15 min 1300 psi. DC: \$71,469 TC: \$292,558
- 12/25/91 Flwg 800 MCFD CO<sub>2</sub>, FTP 1000 psi, CP 800 psi, 16/64" chk, 15 BWPH.
- 12/26/91 Flwg 1300 MCFD CO<sub>2</sub>, FTP 1200 psi, CP 950 psi, 16/64" chk, 10 BWPH.
- 12/27/91 Flwg 1500 MCFD CO<sub>2</sub>, FTP 1150 psi, CP 850 psi, 16/64" chk, 3 BWPH.
- 12/28/91 Flwg 1000 MCFD CO<sub>2</sub>, FTP 1000 psi, CP 850 psi, 16/64" chk, 15 BWPD.
- 12/29/91 SI, WOPLC. Flwg 1400 MCFD, FTP 900 psi, CP 800 psi, 16/64" chk, dry gas. <u>Drop from report</u>.

PAGE 2

Form 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM	1 APPR	OVED	
Budget Bur	eau No.	1004-0	13.
Expires:	March	31, 1993	

Expires: March 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES AND	D REPORTS ON WELLS	UTU-0576
Do not use this form for proposals to drill or	to deepen or reentry to a different reservoir.	6. If Indian, Allottee or Tribe Name
Use "APPLICATION FOR PE	RMIT—' for such proposals	N/A
SURMIT IN	TRIPLICATE DISCUSSION	7. If Unit or CA. Agreement Designation
1. Type of Well	TAIFLICATE	
Oil Gas G	APR 1 3 1992	Natural Buttes Unit
Well Well Other  2. Name of Operator	AIR I J 1772	8. Well Name and No. NBU #166
Coastal Oil & Gas Corporation	504006467	9. API Well No.
3 Address and Telephone No.	DIVISION OF	43-047-32065
P. O. Box 749 Denver, Co	OIL GAS & MING 80201-0749 OIL GAS & MING 573-4476	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description	ion)	Natural Buttes
941' FSL & 1693' FEL (SW/SE)	•	11. County or Parish, State
Section 28, T9S-R21E		
		Uintah County, Utah
CHECK APPROPRIATE BOX(s) TO	O INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent		
- Notes of Intelli	Abandonment Recompletion	Change of Plans  New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
_	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Bullhead Squeeze	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all perting	ent details, and give pertinent dates, including estimated date of starts	ng any proposed work. If well is directionally drilled,
give subsurface locations and measured and true vertical depi	ths for all markers and zones pertinent to this work.)"	
Please see the attached bullhead	squeeze procedure performed on the	e above referenced well.
	-	
14. I hereby cortify that the foregoing is the and correct.		
- 14 Octobble Millima	V Title Regulatory Analyst	Date 4/8/92
Signed ////// Signed Of Si	Title Regulatory Analyst	Date
(This space for Federal or State office use)		
Approved by	Title	Date

## THE COASTAL CORPORATION PRODUCTION REPORT

### CHRONOLOGICAL HISTORY

NBU #166 SW/SE SECTION 28-T9S-R21E NATURAL BUTTES UNIT UINTAH COUNTY, UTAH

WI: 60% COGC AFE: 13176

3/31/92

. <u>Januar</u>

SI, WOPLC. MIRU Western Company. Cmt'd 8-5/8" x 5-1/2" annulus w/55 sx Super "G" + 2%  $CaCl_2$  + .7% CF-2 + 3 #/sk Hi-Seal 3 + 1/4 #/sk Cello Seal and 21 sx Super "G" + 2%  $CaCl_2$  + .7% CF-2 Max press 300 psi, 50 psi 5 min after end of job. <u>Drop from report</u>.

DC: \$2,950 TC: \$295,508

PAGE 3

Form 3160-5 (June 1990)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

DIVISION OF


FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

### See Attached List

SUNDRY NOTICES AND REPORTS ON WELLS

Do	o not use this form for proposals to dri Use "APPLICATION FOR	R PERMIT—' for such proposals	See Attached List
	SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. T	ypc of Well Oil V Gas	77 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Natural Buttes Unit
2. N	Well Well Other		8. Well Name and No.
	Coastal Oil & Gas Corporation		See Attached List
	ddress and Telephone No		See Attached List
	. O. Box 749 Denver,	CO 80201-0749 (303) 573-4476	10. Field and Pool, or Exploratory Area
4. L	ocation of Well (Footage, Sec., T., R., M., or Survey De	scriptioni	Natural Buttes
			11. County or Parish. State
	See Attached	List	Washah Carabas Mal
12	CHECK APPROPRIATE BOXIS	TO INDICATE NATURE OF NOTICE, REP	Uintah County, Utah
	TYPE OF SUBMISSION	TYPE OF ACTIO	
	X Notice of Intent	Abandonment	Change of Plans
	Subsequent Report	Recompletion	New Construction
		Plugging Back Casing Repair	Non-Routine Fracturing  Water Shut-Off
	Final Abandonment Notice	Altering Casing	Conversion to Injection
		X Other NTL 2B; IV	Dispose Water (Note: Report results of multiple completion on Well
Coas	give subsurface locations and measured and true vertical	perminent details, and give perminent dates, including estimated date of star all depths for all markers and zones pertinent to this work.)*  reby requests permission to dispose ject wells.	
Coa: pit:	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub	al depths for all markers and zones pertinent to this work.)* reby requests permission to dispose	of produced water in unline
Coa: pit: 1)	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub  These wells are completed in per day on a monthly basis.  Two unlined pits per location 40' x 40' x 8' and 6' x 6' x	reby requests permission to dispose ject wells.	of produced water in unline  Less than 5 barrels of water  Layout of the locations:  Each pit will be fenced
Coa: pit: 1)	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub These wells are completed in per day on a monthly basis.  Two unlined pits per locatio 40' x 40' x 8' and 6' x 6' x and will have cement corner facilities diagram.)	reby requests permission to dispose ject wells.  the Wasatch formation and produce In will be used due to the size and In 6' deep with berms surrounding them	of produced water in unline  Less than 5 barrels of water  Layout of the locations:  a. Each pit will be fenced the attached typical
Coampit:	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub These wells are completed in per day on a monthly basis.  Two unlined pits per locatio 40' x 40' x 8' and 6' x 6' x and will have cement corner facilities diagram.)  The average evaporation rate	reby requests permission to dispose ject wells.  the Wasatch formation and produce In will be used due to the size and In 6' deep with berms surrounding them posts per BLM specifications. (See	of produced water in unlined less than 5 barrels of water layout of the locations:  a. Each pit will be fenced the attached typical layout is 70" per year.
Coa: pit: 1) 2)	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub These wells are completed in per day on a monthly basis.  Two unlined pits per location 40' x 40' x 8' and 6' x 6' x and will have cement corner facilities diagram.)  The average evaporation rate The estimated percolation rapits is 2-6" per hour.	reby requests permission to dispose ject wells.  the Wasatch formation and produce In will be used due to the size and In 6' deep with berms surrounding them posts per BLM specifications. (See for the area compensated for annual	of produced water in unline  Less than 5 barrels of water  Layout of the locations:  The Each pit will be fenced the attached typical  Layout rainfall is 70" per year.  The sunder and adjacent to the
Coa. pit: 1) 2) 3) 4) 5)	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub These wells are completed in per day on a monthly basis.  Two unlined pits per location 40' x 40' x 8' and 6' x 6' x and will have cement corner facilities diagram.)  The average evaporation rate  The estimated percolation rapits is 2-6" per hour.  The depth of usable water aquence cerus that the foregraphs is/true and correct igned that the foregraphs is/true and correct ig	reby requests permission to dispose ject wells.  the Wasatch formation and produce In will be used due to the size and In 6' deep with berms surrounding them posts per BLM specifications. (See for the area compensated for annual te based on the soil characteristics	of produced water in unlined less than 5 barrels of water layout of the locations:  a. Each pit will be fenced the attached typical layout and adjacent to the sunder adjacent to the su
Coa. pit: 1) 2) 3) 4) 5)	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub These wells are completed in per day on a monthly basis.  Two unlined pits per location 40' x 40' x 8' and 6' x 6' x and will have cement corner facilities diagram.)  The average evaporation rate The estimated percolation rapits is 2-6" per hour.  The depth of usable water aquatery cerus has the forest to struct and correct to the structure of the struc	reby requests permission to dispose ject wells.  the Wasatch formation and produce I will be used due to the size and I 6' deep with berms surrounding them posts per BLM specifications. (See for the area compensated for annual te based on the soil characteristics uifers in this area is approximately ride.  Regulatory Analyst Regulatory Regulatory Analyst Regulatory Regulatory Regulatory Analyst Regulatory Regulator	of produced water in unlined the street of water than 5 barrels of water layout of the locations:  a. Each pit will be fenced the attached typical  Layout and adjacent to the street of
Coa. pit: 1) 2) 3) 4) 5)	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub These wells are completed in per day on a monthly basis.  Two unlined pits per location 40' x 40' x 8' and 6' x 6' x and will have cement corner facilities diagram.)  The average evaporation rate  The estimated percolation rapits is 2-6" per hour.  The depth of usable water aquence cerus that the foregraphs is/true and correct igned that the foregraphs is/true and correct ig	reby requests permission to dispose ject wells.  the Wasatch formation and produce I will be used due to the size and I 6' deep with berms surrounding them posts per BLM specifications. (See for the area compensated for annual te based on the soil characteristics uifers in this area is approximately of Utah Divi	of produced water in unlined less than 5 barrels of water layout of the locations:  a. Each pit will be fenced the attached typical  l rainfall is 70" per year.  s under and adjacent to the produced the attached typical layout of the locations:  a. Each pit will be fenced the attached typical layout of the locations:  b. The State layout of the locations:  a. Each pit will be fenced the attached typical layout of the locations:  a. Each pit will be fenced the attached typical layout of the locations:  b. The State layout of the locations:  a. Each pit will be fenced the attached typical layout of the locations:  a. Each pit will be fenced the attached typical layout of the locations:  b. The State layout of the locations:  a. Each pit will be fenced the attached typical layout of the locations:  b. Layout of the locations:  a. Each pit will be fenced the attached typical layout of the locations:  b. Layout of the locations:  a. La
Coa. pit: 1) 2) 3) 4) 5)	stal Oil & Gas Corporation he sper NTL-2B, IV, for the sub These wells are completed in per day on a monthly basis.  Two unlined pits per location 40' x 40' x 8' and 6' x 6' x and will have cement corner facilities diagram.)  The average evaporation rate The estimated percolation rapits is 2-6" per hour.  The depth of usable water aquency cerus that the foregator is true and correct igned to t	reby requests permission to dispose ject wells.  the Wasatch formation and produce I may be used due to the size and I for deep with berms surrounding them posts per BLM specifications. (See for the area compensated for annual te based on the soil characteristics uifers in this area is approximately of Utah Divi	of produced water in unlined less than 5 barrels of water layout of the locations:  a. Each pit will be fenced the attached typical  Layout and adjacent to the under and adjacent to the sine sine sine sine sine sine sine sin



	WELL #	QUAD	LOCA SEC		RGE	STAPE OR BLM LEASE #	SURFACE	API NUMBER
NBU	#103	SENW	10	 9	21	U-0141315	UTE	43-047-31956
	#104	SENE	16	9	21	ST ML-3282	UTE	43-047-31957
	<b>#</b> 105	SWSW	17	9	21	U-0575	UTE	43-047-31955
NBU	#106	NESW	21	9	21	U-0576	UTE	43-047-31946
	#107 #108	SENW SESE	26 19	9	21	ST ML-01194	STATE UTE	43-047-31916
	#109 #109	SENE	27	9	22 21	U-0284 ST U-01194-A	STATE	43-047-31958 43-047-31917
	#110	NENE	28	9	21	U-0576	FED.	43-047-31924
	*1111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 111 # 1	SWNW	25	9	21	ST U-01194	STATE	43-047-31920
	#112	SESE	33	9	22	U-01191	FED.	43-047-31930
	#113 #114	SESE SWSW	34 5	9 10	22 21	U-0149077 U-01393-D	FED. FED.	43-047-31931 43-047-31923
	#115	NENW	10	10	21	U-0149079	FED.	43-047-31929
	#116	NWNW	6	10	22	U-464	FED.	43-047-31925
	#117 4444	NENE	10	10	22	ST UT-01197-A	STATE	43-047-31914
	#118 #119	SENE SENW	22 22	9	20 20	U-0577-B U-0577-B	UTE UTE	43-047-31969 43-047-31973
	#120	NWNW	10	9	21	U-0141315	UTE	43-047-31973
NBU	#121	NWNE	13	9	21	U-01193	UTE	43-047-
	#122	SWSE	13	9	21	U-01193	UTE	43-047-32085
	#123 #124	NWNW	15	9	21	U-01188	UTE	43-047-31974
	#125	NWNE NESE	16 17	9	21 21	ST ML~3282 U-0575	UTE	43-047-31971 43-047-32090
	#126	NENW	21	9	21	U-0576	UTE	43-047-31962
	#127	SWNW	21	9	21	U-0576	UTE	43-047-31963
	#128	SWSW	21	9	21	U-0576	UTE	43-047-31964
	#129 #130	SENE	22 22	9	21	U-010950~A	UTE	43-047-31965
	#130 #131	SWNW NWSW	23	9	21 21	U-0147566 U-0149075	UTE UTE	43-047-31967 43-047-31966
	#132 V	NWNW	26	9	21	ST U-01194	STATE	43-047-31938
	#133	SWNE	28	9	21	U-0576	FED.	43-047-31950
	#134	SWSW	28	9	21	U-0576	FED.	43-047-32011
	#135 #136	NESE SWSE	18 19	9	22 22	U-461 U-0284	UTE	43-047-32089
	#137 ************************************	SESE	30	9	22	ST ML-22935	UTE STATE	43-047-31968 43-047-31939
- NBŲ	#138A	SENE	33	9	22	U-01191-A	FED.	43-047-32151
	#139	SWNE	14	10	21	U-465	FED.	43-047-31948
	#140 #141	NWNE	5 6	10	22	U-01191A	FED.	43-047-31947
	#142	SENW NESE	10	10 10	22 22	U-464 U-025187	FED. FED.	43-047-32017 43-047-32013
иви	#143	NWNE	10	9	21	U-0141315	UTE	43-047-32088
NBU	#144	MMMM	23	9	21	U-0149075	UTE	43-047-32044
NBU	#145 **** #146	NWNE	27	9	21	ST U-01194-A	STATE	43-047-31976
	#147	SWNW NWSW	14 4	10 10	21 22	U-465 U-01191	FED. FED.	43-047-31985 43-047-31984
	#148	SESW	4	10	22	U-01191	FED.	43-047-31983
	#149	NESE	5	10	22	บ-01191	FED.	43-047-31982
	#150	SENW	9	10	22	U-01196-B	FED.	43-047-31992
	#151 #152	NWNW SESE	9	10 10	22 22	U-01196-B	FED.	43~047~31991
		SWNW	11	10	22	U-01196-D ST U-01197-A	FED. STATE	43-047-31990 43-047-31975
NBU	#153 harry #154 harry #155 harry	NWSE	26	9	21	ST ML-22934	STATE	43-047-32003
	"	SENW	31	9	22	ST ML-23607	STATE	43-047-32004
		SWNW	35	9	21	ST U-01194	STATE	43-047-32005
NBU	#157 / #158 / #159 */	SESW NWSE	32 27	9 9	22 21	ST ML-22649 ST U-01194-A	STATE STATE	43-047-32007 43-047-31997
NBU	#159	NESW	35	9	21	ST U-01194	STATE	43-047-31996
NBU	نگوش <sup>س</sup> ن 160#	SESW	31	9	22	ST ML-22935-A	STATE	43-047-32006
	# TOT 30	SESE	32	9	22	ST ML-22649	STATE	43-047-32023
	#162 #163	SENW NENW	12 14	10 10	20 21	U-4478	FED.	43-047-32066
	#164	NWSE	3	10	22	U-465 U-01191-A	FED. FED.	43-047-32069 43-047-32055
	#165	NENW	3	10	22	U-01191	FED.	43-047-32057
	#166	SWSE	28	9	21	U-0576	FED.	43-047-32065
	#167 <b>/</b> #168	SESW	25	9	21	ST U-01194	STATE	43-047-32054
	#169	NWSW SESW	12 12	10 10	20 20	U-4478 U-4478	FED.	43-047-32117 43-047-32118
		CESW	12	10	20	0-44/8	FED.	43-04/-35110

UINTAH COUNTY, UTAH

WELL #	DAUQ		TWP	RGE	STATE OR BLM LEASE #	SURFACE	API NUMBER
NDN 4120							
NBU #170 NBU #171	NWNW	4	10	22	U-01191-A	FED.	43-047-32169
NBU #172	SENE NENE	5 19	10 9	22 22	U-01191-A U-0284	FED. UTE	43-047-32115 43-047-32194
NBU #173	NWNE	33	9	22	U-01191-A	FED.	43-047-32194
NBU #174	NWNW	11	9	21	U-0141315	UTE.	43-047-32193
NBU #175	NENW	28	9	21	U-0576	FED.	43-047-32143
NBU #176	SWNW	28	9	21	U-0576	FED.	43-047-32144
NBU #177	NESE	29	9	21	U-0581	FED.	43-047-32112
NBU #178	NWNE	30	9	21	U-0581	FED.	43-047-32121
NBU #179 NBU #180	SWSW	10	10	21	U-01416-A	FED.	43-047-32145
NBU #181	SWSE	10 9	10 9	22 21	U-025187	FED.	43-047-32113
NBU #182	SENW	11	9	21	U-0576 U-0141315	UTE UTE	43-047-32161 43-047-32162
NBU #183	SWNW	27	9	21	ST U-01194-A	STATE	43-047-32102
NBU #184	SESW	30	9	22	U-463	FED.	43-047-32170
NBU #185	SWNE	3	10	22	U-01191-A	FED.	43-047-32171
NBU #186	SENE	30	9	22	U-463	FED.	43-047-
NBU #187	SESW	34	9	22	U-0149077	FED.	43-047 <del>-</del>
NBU #188	SWSW	10	10	22	U-01196-C	FED.	43-047-
NBU #189 NBU #190 V	SESW	23	9	21	U-0149075	UTE	43-047-
CIGE 110-7-9-21	NWNE SWSE	26 7	9	21	ST U-01194	STATE	43-047-
CIGE 111-13-9-21	SESW	13	9	21 21	U-0575-B U-01193	UTE	43-047-31959
CIGE 112-19-9-21	SESE	19	9	21	U-0581	UTE UTE	43-047-31954 43-047-31945
CIGE 113-21-9-21	SWNE	21	9	21	U-0576	UTE	43-047-31944
CIGE 114-34-9-21	NESE	34	9	21	ST U-01194-A	STATE	43-047-31915
CIGE 115~35-9-21g	NWNE	35	9	21	ST ML-22582	STATE	43-047-31918
CIGE 116-29-9-22		29	9	22	ST ML-22935	STATE	43-047-31919
CIGE 117-34-9-22	SWNW	34	9	22	U-0149077	FED.	43-047-31928
CIGE 118-35-9-22 CIGE 119-15-10-21	NESE	35	9	22	U-010954A	FED.	43-047-32025
CIGE 120-15-9-20	NENE SENE	15 15	10 9	21 20	U-01416-A	FED.	43-047-31927
CIGE 121-15-9-20	NWNE	15	9	20	U-0144868 U-0144868	UTE	43-047-32032 43 <b>-</b> 047-32031
CIGE 122-7-9-21	NENE	7	9	21	U-0149767	UTE	43-047-32031
CIGE 123-7-9-21	SWNE	7	9	21	U-0575-B	UTE	43-047-32047
CIGE 124-9-9-21	NWSE	9	9	21	U-01188	UTE	43-047-32045
CIGE 125-13-9-21	MMMM	13	9	21	U-01193	UTE	43-047-(32084
CIGE 126-13-9-21	NWSW	13	9	21	U-01193	UTE	43-047-32087
CIGE 127-16-9-21	NESW	16	9	21	ST ML-3141	UTE	43-047-32036
CIGE 128-18-9-21 CIGE 129-18-9-21	NENE NENW	18 19	9 9	21	U-0575	UTE	43-047-32046
CIGE 130-19-9-21	NENE	19	9	21 21	U-0581 U-0581	UTE	43-047-32043
CIGE 131-19-9-21	SWNE	19	9	21	U-0581	UTE UTE	43-047-32030 43-047-32029
CIGE 132-20-9-21	⊿NWSW	. 20	9	21	U-0575	UTE	43-047-32028
CIGE 133-35-9-21 4	SWSE	35	9	21	ST ML-22582	STATE	43-047-31978
CIGE 134-1-10-20	SWSW	1	10	20	U-02270-A	FED.	43-047-31989
CIGE 135-3-10-21	SWSW	3	10	21	U-0149078	FED.	43-047-32001
CIGE 136-4-10-21		4	10	21	ST ML-22940	STATE	43-047-31979
CIGE 137-6-10-21 CIGE 138A-6-10-21	SENE	6	10	21	U-01791	FED.	43-047-31988
CIGE 138A-6-10-21 CIGE 139-10-10-21	SENW	6	10	21	U-01791	FED.	43-047-31987
CIGE 140-16-10-21		10 16	10 10	21 21	U-0149079 ST ML-10755	FED.	43-047-31986
CIGE 141-7-10-22 V		7	10	22	ST ML-23609	STATE STATE	43-047-31977 43-047-31970
- CTCR 142-35-0 31		25	9	21	ST U-01189	STATE	43-047-31994
CIGE 143-34-9-21	SWNE SWNE	34	9	21	ST U-01194-A	STATE	43-047-31995
CIGE 144-2-10-22	SWNE	2	10	22	ST ML-22651	STATE	43-047-32022
CIGE 145-29-9-22	SENW	29	9	22	ST ML-22935	STATE	43-047-31993
CIGE 146-16-10-21	NWNE	16	10	21	ST ML-10755	STATE	43-047-32021
CIGE 147-36-9-22 *** CIGE 148-31-9-22 *** CIGE 149-8-10-21	SESW	36	9	22	ST ML-22650	STATE	43-047-32020
CIGE 148-31-9-22 CIGE 149-8-10-21	NWNE	31	9	22	ST ML-22935-A	STATE	43-047-32024
CIGE 149-8-10-21 CIGE 150-9-10-21	NWNE SWNE	8 9	10 10	21	U-01791	FED.	43-047-32056
CIGE 151-10-10-21	SWSE	10	10	21 21	U-01416 U-0149079	FED.	43-047-32058 43-047-32059
CIGE 152~33-9-22	SESW	33	9	22	U-01191-A	FED. FED.	43-047-32059
CIGE 153-35-9-22	SESW	35	9	22	U-010954-A	FED.	43-047-32067
CIGE 154-13-10-20	NWNW	13	10	20	U-4485	STATE	43-047-32119
CIGE 155-9-9-21	SENE	9	9	21	U-01188-B	UTE	43-047-32157

NATURAL BUTTES

UINTAH COUNTY, UTAH

			LOCA	MOITA		STATÉ OR BLM		API
	WELL #	QUAD	SEC	TWP	RGE	LEASE ≠	SURFACE	NUMBER
	156-16-9-21	NESE	16	9	21	ST ML-3282	UTE	43-047-32195
CIGE	157-16-9-21	SWNW	16	9	21	U-38409	UTE	43-047-32160
CIGE	158-21-9-21	NESE	21	9	21	U-0576	UTE	43-047-32158
CIGE	159-6-10-21	NWNE	6	10	21	U-01791	FED.	43-047-32120
CIGE	160-14-10-21	SWSE	14	10	21	U-01393-C	FED.	43-047-32124
CIGE	161-2-10-22	SESE	2	10	22	ST ML-22651	STATE	43-047-32168
CIGE	162-36-9-22	'SESE	36	9	22	ST ML-22650	STATE	43-047-32164
CIGE	163-15-9-21	SENE	15	9	21	U-01193	UTE	43-047-32192
CIGE	164-34-9-22	NWNE	34	9	22	U-0149077	FED.	43-047-32141
CIGE	165-1-10-20	SWNW	1	10	20	U-02270-A	FED.	43-047-32114
CIGE	166-3-10-21	NENW	3	10	21	U-0149078	FED.	43-047-32172
CIGE	167-7-10-21	NENE	7	10	21	U-01791	FED.	43-047-32142
CIGE	168-16-10-21	NWSE	16	10	21	ST ML-10755	STATE	43-047-32123
CIGE	169-2-10-21	SENW	2	10	21	ST ML-22652	STATE	43-047-
=====	***=========		====				*======	==========

Ļ

Form 3160-5 June 1990)

### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

				31, 177	,,	
. Lea	se Des	ignation	and	Seriai	No.	
	0-05					

010	057	,	
16 1- 4			

SUNDRY NOTICES AND	DEDODIC ON WELLA	UTU-0576
SUNDRY NOTICES AND	REPORTS ON WELLS	o. If Indian, Allottee or Tribe Name
Oo not use this form for proposals to drill or to deepen or reentry to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals		
	AMII — for such proposals	N/A
SUBMIT IN 1	TPIPLICATE	7. If Unit or CA, Agreement Designation
type or Well	- INFLIGATE	
·		Natural Buttes Unit
Oil X Well Other		8. Well Name and No.
		NBU #166
Coastal Oil & Gas Corporation		9. API Well No.
Address and Telephone No		<u></u>
P.O. Box 749 Denver, CO 80201-0749 (303) 573-4476		43-047-32065
ocation of Well (Footage, Sec., T., R., M., or Survey Description	(n)	10. Field and Pool, or Exploratory Area
941' FSL and 1693' FEL (SW/SE)		Natural Buttes
Section 28, T9S, R21E		11. County or Parish, State
Section 20, 193, RZIE	**	Uintah County, UT
CHECK APPROPRIATE FOR		
OTTECK APPROPRIATE BOX(s) TO	INDICATE NATURE OF NOTICE, REPOR	RT. OR OTHER DATA
TYPE OF SUBMISSION		THE THE THE
	TYPE OF ACTION	
- Notice of Intent	Abangonment	Change or Plans
X	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	
		Conversion to Injection
	( T	
escribe Proposed or Completed Operations (Clearly state all pertinen give subsurface locations and measured and true vertical depths	Mome Report of Pirst Sales	Dispose Water
The above-reference line and first sale	Mome Report of Pirst Sales	Dispose Water  (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)  any proposed work. If well is directionally drille
The above-reference line and first sale rate of 1358 MCFPD, 11/64" choke.	ed well was connected to CIG's gas es occurred @12:15 PM 7/29/92 with	Dispose Water  (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)  any proposed work. If well is directionally drille
The above-reference line and first sale rate of 1358 MCFPD, 11/64" choke.	ed well was connected to CIG's gas es occurred @12:15 PM 7/29/92 with	Dispose Water  (Note: Report results of multiple completion on Well Completion or Recombiction Report and Log form.)  any proposed work. If well is directionally drille  sales  a 38 and
The above-reference line and first sale rate of 1358 MCFPD, 11/64" choke.	ed well was connected to CIG's gas es occurred @12:15 PM 7/29/92 with	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) any proposed work. If well is directionally drille sales a 38 and
The above-reference line and first sale rate of 1358 MCFPD, 11/64" choke.  ereby certify that the foregoing is true and correct the correct that the foregoing is true and correct that the space for Federal 6/38has lifety tole; Dey	ed well was connected to CIG's gas es occurred @12:15 PM, 7/29/92 with, 0 BOPD, 0 BWPD, FTP 2127, SICP 18	Dispose Water  (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)  any proposed work. If well is directionally drille  sales  a 38 and
The above-reference line and first sale rate of 1358 MCFPD, 11/64" choke.	ed well was connected to CIG's gas es occurred @12:15 PM, 7/29/92 with, 0 BOPD, 0 BWPD, FTP 2127, SICP 18	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) any proposed work. If well is directionally drille sales a 38 and

Form 3160-5 Liune 1990)

Final Abandonment Notice

Expires: March 31, 1993 Designation and Serial No.

UTU-0576

OUNDI	MOTIOES MAD	neronio on	7 C C E
se this form for pr	oposals to drill or to	despen or reen	THE A SOUTH OF THE SALE OF

Do not u

lf Indian, Alottee or Tribe Name

	- in an an proposition	
		N/A
		7. If Unit or CA, Agreement Designation
SUBMIT IN TI	RIPLICATE	Natural Buttes Unit
1. Type of Well		5. Well Name and No.
Oil Well X Gas Well Other		NBU 166
2. Name of Operator		9. API Well No.
Coastal Oil & Gas Corporation		43-047-32065
3. Address and Telephone No.		10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201 - 0749	(303) 573-4476	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)		11. County or Parish, State
941' FSL & 1693' FEL		
Section 28, T9S-R21E		Uintah Co., Utah
12. CHECK APPROPRIATE BOX(S) TO	D INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	TON
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Sack	Non-Routine Fracturing
	Casing Repair	Water Shut-Off

Completion or Recompletion Report and Log form.) Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give exhaurison locations and measured and tru vertical depths for all markets and zones pertinent to this work.)\*

The operator intends to remove the large 2000 MCFD separator/hydrator combination unit from the described well and replie it with a new 500 MCFD separator/hydrator.

> Accepted by the **Utah Division of** Oil, Gas and Mining

oner Install new separator/hydrator

FOR RECORD ONLY

14. I hereby cert	fy that the foregoing is true and correct			
Signed _	Phone Johnson	tno Environmental Analyst	Date	10/07/94
	Bonnie Johnston		The state of the s	
(This space	for Federal or State office use)			
APPROVE	- · · · · · · · · · · · · · · · · · · ·	Title	Date	
Conditions	of approval, if any:			
	•			

Title 18 U.S.C. Section 1001, makes it a orime for any person knowingly and willfully to make to any department or agency of the United States siny false, Roticious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (3mg 1990)

### TED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

- FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

DIV. OF OIL, GAS & MINING

SUNDRY NOTICES A	ND REPORTS ON WELLS	UTU-0576
	or to deepen or reentry to a different reservoir.  OR PERMIT" - for such proposals	6. If Indian, Alattae or Tribe Name
OSE AFFLICATION FO	ACT ENVIRE - TO SUCH Proposals	N/A
		N/A 7. If Unit or CA, Agreement Designation
SURMITIN	N TRIPLICATE	Notes and Destant Links
Type of Well	TRIFLICATE	Natural Buttes Unit  8. Well Name and No.
Oil Welt X Gas Well Other		NBU 166
Coastal Oil & Gas Corporation Address and Telephone No.	· .	43-047-32065 30. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749 Location of Well (Footage, Sec. T., R., M., Or Survey Description	(303) 573-4476	Natural Buttes 11. County or Parish, State
· ·		
941' FSL & 1693' FEL	· · ·	
Section 28, T9S-R21E		Uintah Co., Utah
CHECK APPROPRIATE BOX(S)	TO INDICATE NATURE OF NOTICE, REF	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF	
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
. ;	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other lower tubing, acidize, and	Dispose Water (NOTE: Report results of multiple completion on Well
	<del>,</del>	Completion or Recompletion Report and Log form.)
<ol> <li>Describe Proposed or Completed Operations (Clearly state a drilled, give subsurface locations and measured and tru vertice</li> </ol>	all pertinent details, and give pertinent dates, including estimated all depths for all markets and zones pertinent to this work.)*	date of starting any proposed work. If well is directionally
The operator intends to lower tubing, acidize	a avieting perforations, and install DLC	
The operator ments to lower tubing, acidize	c existing periorations, and instan FEE.	
* ,		
		, o ,
	•	
•		
÷ ·		5
•	·	:
	·	·
	with the second	
. I hereby certify this the foregoing is true and correct		
the same	The Control of Control	01/07/07
Signed Bonnie Carson	Till Sr. Environmental & Safety An	llyst D# 01/07/97
(This space for Federal or State office use)		
APPROVED BY	ा वि	MECELLY EN
Conditions of approval, if any:		
8	•	
e 18 U.S.C. Section 1001, makes it a crime for any person know	vingly and willfully to make to any department or agency of the U	THE STATE OF THE S
resentations as to any matter within its jurisdiction.	and the second of the second section of the second of the second second of the second	more commenced to management statements of

\*See Instruction on Reverse Side

### NBU #166-28-9-21 NATURAL BUTTES FIELD SECTION 28 T9S R21E WORKOVER PROCEDURES

### WELL DATA

LOCATION: 941' FSL 1693' FEL SEC. 28 T9S R21E

ELEVATION: 4954' GR., 4966' KB.

TD: 6300', PBTD 6241' (12/91) WLS(11/96) 5904'

CSG: 8-5/8", 24.0#, K-55 @ 263' w/ 150 SX. 5-1/2", 17.0#, J-55 @ 6298' w/ 760 SX.

CMT ANNULUS w/ 75 SX.

TBG: 2-3/8", 4.7#, J-55 @ 4891'

FORMATION(S): WASATCH 4934' - 5753', 8 HOLES (12/91)

### **PROCEDURE**

1. MI & RU pulling unit. Blow down & kill well w/ 3% KCL water. ND WH. NU BOP.

- 2. MI & RU Air/Foam Unit. RIH w/2-3/8" tbg and land tbg @ 5753' using air/foam. WLS (11/96) PBTD 5904'- BP @ 5753'.
- 3. ND BOP. NU WH. RU service company and spot 850 gal 15% HCL acid across perfs 4934' 5753'. RD service company. RD & MO pulling unit and Air/Foam unit.
- 4. Install PLE. Swab/flow well to clean up. Return the well to sales.

### NBU #166-28-9-21 NATURAL BUTTES FIELD SECTION 28 T9S R21E

### WELL DATA

LOCATION:

941' FSL 1693' FEL SEC. 28 T9S R21E

ELEVATION:

4954' GR., 4966' KB.

TD:

6300', PBTD 6241' (12/91)

CSG:

8-5/8", 24.0#, K-55 @ 263' w/ 150 SX. @ 6298' w/ 760 SX.


5-1/2", 17.0#, J-55

CMT ANNULUS W/ 76 SX.

TBG:

2-3/8", 4.7#, J-55 @ 4891'

FORMATION(S): WASATCH 4934' - 5753', 8 HOLES (1991)



FROM : COASTAL OIL & GAS From 3160-5 (June-1990)  DEPARTMENT O BUREAU OF LAN	303 573 4418 1998,02- STATES F THE INTERIOR D MANAGEMENT	24 16:33 #590 P.02/03  FORM APPROVED  Budget Bureau No. 1004-0135  Expires: March 31, 1993  5. Lease Designation and Serial No.
SUNDRY NOTICES AND  Do not use this form for proposals to drill or to  Use "APPLICATION FOR I	REPORTS ON WELLS  deepen or reentry to a different reservoir.  ERMIT' - for such proposals	UTU-0576 6. If Indian, Alottee or Tribe Name
		N/A 7. If Unit or CA, Agreement Designation
SUBMIT IN T.	RIPLICATE	Natural Buttes Unit a. Well Name and No.
Oil Well X Gas Well Other		NBU 166
2. Name of Operator		9. API Well No.
Coastal Oil & Gas Corporation		
3. Address and Telephone No.		43-047-32065 10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749	(303) 573-4476	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)	(303) 3/3-44/0	11. County or Parish, State
941' FSL & 1693' FEL		
Section 28, T9S-R21E		Uintah Co., Utah
· · · · · · · · · · · · · · · · · · ·	ANDIOATE MATURE OF MOTION DEPO	
12. CHECK APPROPRIATE BOX(S) TO TYPE OF SUBMISSION	INDICATE NATURE OF NOTICE, REPOR	
	TYPE OF AC	TQN
Notice of Intent	Abandonmant	Change of Plans
X Subsequent Report	Recompletion	New Construction
3.1 ) editadirent Kebott	Plugging Back	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair	Water Shut-Off
. Trust Least (1) let (1) JANNA	Attering Casing   X   Other   Acidize   Iwr the & install PLF	Conversion to Injection
	A Comment of the Comm	साठा है Report Private of multiple completion on Well
13. Describe Proposed or Completed Operations (Closiny state all per	tinent details, and give perlinent dates, including estimated date	Completion or Recompletion Report and Lay form.) of starting any proposed work. If well is directionally
drilled, give subsurface locations and measured and tru vertical depi	ha for all markets and zones perthent to this work.)*	
Diana and the etherhold above to the Library C		
Please see the attached chronological history for	work performed on the subject well.	
•		•
	· ·	•
		•
·		
* * * * * * * * * * * * * * * * * * *		
14. I hereby certify that the foregoing is true and correct		an receipt
signed Dunie Carrow	The Senior Environmental Analyst	04/22/02
/ Bonnie Carson	100 Bentot Environmental Analyst	U#R 04/22/97
(This space for Federal or State office use)		
APPROVED BY	Thi	Dx77

\*See Instruction on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statements or representations as to any matter within its jurisdiction.

Conditions of approval, if any:

DC: \$3,240	TC:	\$219,639
-------------	-----	-----------

12/14/91 SI, WO frac. Killed well. Finish RIH w/tbg. Ran 154 jts tbg and landed @ 4891'. ND BOP, NU WH. RDMO Pool rig #298. DC: \$1,450 TC: \$221,089

Flow back after frac. MIRU Western on 12/22/91. Frac well on 12/23/91. Pump 99,036 gals gel w/173,253# sand with 30% CO<sub>2</sub>. AIR 30 BPM @ 3650 psi. ISIP 2000 psi, 15 min 1300 psi. DC: \$71,469 TC: \$292,558

12/25/91 Flwg 800 MCFD CO<sub>2</sub>, FTP 1000 psi, CP 800 psi, 16/64" chk, 15 BWPH.

12/26/91 Flwg 1300 MCFD CO<sub>2</sub>, FTP 1200 psi, CP 950 psi, 16/64" chk, 10 BWPH.

12/27/91 Flwg 1500 MCFD CO<sub>2</sub>, FTP 1150 psi, CP 850 psi, 16/64" chk, 3 BWPH.

12/28/91 Flwg 1000 MCFD CO<sub>2</sub>, FTP 1000 psi, CP 850 psi, 16/64" chk, 15 BWPD.

12/29/91 SI, WOPLC. Flwg 1400 MCFD, FTP 900 psi, CP 800 psi, 16/64" chk, dry gas. <u>Drop from report</u>.

3/31/92 SI, WOPLC. MIRU Western Company. Cmt'd 8-5/8" x 5-1/2" annulus w/55 sx Super "G" + 2% CaCl<sub>2</sub> + .7% CF-2 + 3 #/sk Hi-Seal 3 + 1/4 #/sk Cello Seal and 21 sx Super "G" + 2% CaCl<sub>2</sub> + .7% CF-2 Max press 300 psi, 50 psi 5 min after end of job. <u>Drop from report</u>. DC: \$2,950 TC: \$295,508

7/29/92 Report of 1st sales - on sales @ 1:30 p.m., 7/29/92. Flwd 1358 MCFD, FTP 2127 psi, CP 1838 psi on 11/64" chk. <u>Drop from report</u>.

### Acidize, Lower Tubing and Install PLE

RU BJ Serv. To spot acid on perf. Road Rig from CIGE #156 to NBU #166. MIRU. SICP 500 psi, FTP 250 psi. RU pmp & lines & pmp 40 bbls dn csg. ND WH & NU BOPs. RU floor & tbg equip. RU broach & RIH to SN. PU & LD hanger & blast jt. Talley & PU - RIH w/2δ" tbg. Tag fill @ 5948'. LD 7 jts tbg. RIH w/broach to SN & RD broach. PU hanger & land tbg w/181 jts total - EOT @ 5768' SN @ 5727'. ND BOPs & NU WH. Pull 1 vlv off WH. Drain pmp & lines. SDFN DC: \$9,009

03/11/97 Swab on well & try unplug tbg. SICP 400 psi, SITP 0 psi. RU BJ Serv. To spot acid on perf from 4934'-5753' w/ 850 gals 15% HCl w/add. Total load 72 bbls, MP 850 psi, AP 500 psi. M.rt 5, A.rt 3.5, ISTP 0 5 mins on vacuum. RD BJ Serv & RD & MO pulling unit &

	WO acid & instl PLE stop. MIRU Delsco Start swabbing IFL 3200', Made 12 runs, rec 25 BW, rec 25 BW, acid FFL 3800'. Last 3 runs, tbg plug @ 3800' w/SD & scale. SDFN DC: \$4,620 TC: \$13,629
03/12/97	Prep to swab. ITP 0 psi, ICP 400 psi, IFL 3600'. Pmp 100 bbls KCl wtr dn csg @ 225EF. Pmp 30 BW dn tbg. Tbg start to swab. Swab 12 runs, rec 40 bbls, FTP 0 psi, FCP 200 psi, FFL 3600'. SI for press build-up. Total load 202, 65 BLR, 137 BLTR. DC: \$2,012  TC: \$15,641
03/13/97	Prep to swab. IFP 25 psi, ICP 400 psi, IFL 3600'. Made 20 swab runs, recovered 100 bbls. Drpd standing vlv and plunger. SI to build press. FTP 75 psi, FCP 500 psi, FFL 4500'. 202 BTL, 165 BLR, 37 BLTR
	DC: \$1,420 TC: \$17,061
03/14/97	Prep to swab. SICP 750 psi, SITP 0 psi. Swab w/Delsco, IFL 3800'. Made 5 runs, rec 25 BW, FFL 5700'. Flowed & trip plunger 7 times, FCP 520 psi, FTP 0 psi. SWI for build up. 37 BTL, 37 BLR, 0 BLTR
	DC: \$1,333 TC: \$18,394
03/15/97	Made 3 swab runs, rec 10 bbls, IFL 4500', EFL 4800'. Put back on production @ 10 AM. Flowing 19 MCF, 6 BW, 260 TP, 800 CP, on 20/64" chk.
	DC: \$1,194 TC: \$19,588
03/16/97	Flowing 20 MCF, 30 BW, 325 TP, 600 CP, on 16/64" chk.
03/17/97	Flowing 9 MCF, 10 BW, 350 TP, 765 CP, on 16/64" chk. PL 4 hrs.
03/18/97	Flowing 50 MCF, 3 BW, 175 TP, 350 CP, on 16/64" chk. PL flow 21/2 hrs.
03/19/97	Flowing 27 MCF, 20 BW, 100 TP, 350 CP, on 18/64" chk.
03/20/97	Flowing 32 MCF, 20 BW, 240 TP, 310 CP, on 20/64" chk. Final Report

43-147-32065 FORM APPROVED Form 3160-5 ITED STATES Budget Bureau No. 1004-0135 ' (June 1990) DEPARTMENT OF THE INTERIOR Expires: March 31, 1993 **BUREAU OF LAND MANAGEMENT** 5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS <u>See attached spreadsheet</u> 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals See attached spreadsheet 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE See attached spreadsheet 1. Type of Well X Gas Well Well 8. Well Name and No. Other See attached spreadsheet 2. Name of Operator Coastal Oil & Gas Corporation 9. API Well No. 3. Address and Telephone No. See attached spreadsheet P.O. Box 749, Denver, CO 80201-0749 (303) 573-4476 10. Field and Pool, or exploratory Area 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) See attached spreadheet See attached spreadsheet 11. County or Parish, State Uintah Utah CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION X Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection Other Dispose Water Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) The operator requests permission to empty produced water into tanks on the listed locations. The produced water will then be transported by truck to the underground injection well. NBU #159, located at NE/SW Section 35, T9S-R21E. DIV. OF OIL, GAS & MINING

Date

Bonnie Carson

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements

Title

Title Sr. Environmental Analyst

14. I hereby carrier that the foregoing is true and correct

or representations as to any matter within its jurisdiction.

(This space for Federal or State office use)

Conditions of approval, if any:

Approved by

Well Name	API No.	Lease Designation	If Indian,	Footages	Qtr/Qtr	Location	- Ciola	10
		& serial number	Allottee or	· sotagoo	Quitan	Location	Field	County
			Tribe Name		<del></del>			·
CIGE 19	43-047-30459	ML-3141-A	Ute Tribe	1231' FWL & 1223' FSL	swsw	Sec. 16-9S-21E	Natural Buttes	Llintoh
CIGE 22	43-047-30501	U-0144868	N/A	1980' FNL & 1980' FWL	SENW	Sec. 15-9S-20E	Natural Buttes	Uintah Uintah
CIGE 30	43-047-30498	U-01791	N/A	1307' FNL & 1419' FWL	SWSE	Sec. 6-10S-21E	Natural Buttes	Uintah
CIGE 37D	43-047-30910	U-0576	Ute Surface		SWSE	Sec. 21-9S-21E	Natural Buttes	Uintah
CIGE 44	43-047-30527	U-01188	Ute Tribal	513' FSL & 503' FEL	SESE	Sec. 9-9S-21E	Natural Buttes	Uintah
CIGE 45	43-047-30528	U-01193	Ute Tribe	1019' FNL & 778' FEL	NENE	Sec. 15-9S-21E	Natural Buttes	<del></del>
CIGE 60	43-047-30549			2156' FNL & 1813' FWL	SENW	Sec. 14-9S-21E	Natural Buttes	Uintah
CIGE 61	43-047-30580	U-01193		1815' FNL & 1822' FWL	SENW	Sec. 13-9S-21E	Natural Buttes	Uintah
CIGE 71	43-047-30636	U-0575	Ute Surface		NESE	Sec. 20-9S-21E		Uintah
CIGE 78C	43-047-30870	U-38409	Ute Tribe	1279' FNL & 1477' FWL	NENW	Sec. 16-9S-21E	Natural Buttes	Uintah
CIGE 86D	43-047-30886	ML-3282	Ute Tribe	1080' FSL & 1558' FEL	SWSE	Sec. 16-9S-21E	Natural Buttes	Uintah
CIGE 99D	43-407-31223		N/A	760' FNL & 1980' FEL	NWNE	Sec. 26-9S-21E	Natural Buttes	Uintah
CIGE 110	43-047-31959		Ute Surface		SWSE	Sec. 7-9S-21E	Natural Buttes	Uintah
CIGE 111D	43-047-32305	U-01193	Ute Surface		SESW	Sec. 13-9S-21E	Natural Buttes	Uintah
CIGE 112D	43-047-31945	UTU-0581	N/A	660' FSL & 660' FEL	SESE		Natural Buttes	Uintah
CIGE 120	43-047-32251		Ute Tribe	883' FNL & 1142' FEL	NENE	Sec. 19-9S-20E	Natural Buttes	Uintah
CIGE 121	43-047-32252		N/A	1996' FNL & 1980' FEL	SWNE	Sec. 15-9S-20E	Natural Buttes	Uintah
CIGE 122	43-047-32098			1064' FNL & 918' FEL	NENE	Sec. 15-9S-20E	Natural Buttes	Uintah
CIGE 125	43-047-32084			707' FNL & 635' FWL	NESW	Sec. 7-9S-21E Sec. 16-9S-21E	Natural Buttes	Uintah
CIGE 127	43-047-32036		Ute Tribe	2175' FSL & 2200' FWL	NESW		Natural Buttes	Uintah
CIGE 142	43-047-31994		N/A	1461' FNL & 847' FEL	SENE	Sec. 16-9S-21E	Natural Buttes	Uintah
CIGE156	43-047-32195		Ute Tribe	1776' FSL & 611' FEL	NESE	Sec. 25-9S-21E	Natural Buttes	Uintah
CIGE157	43-047-32160		N/A	2200' FNL & 700' FWL	SWNW	Sec. 16-9S-21E	Natural Buttes	Uintah
CIGE 158	43-047-32158		N/A	1980' FSL & 660' FEL	NESE	Sec. 16-9S-21E	Natural Buttes	Uintah
CIGE 163	43-047-32192		Ute	1678' FNL & 803' FEL	SENE	Sec. 21-9S-21E Sec. 15-9S-21E	Natural Buttes	Uintah
CIGE 170	43-047-32403			632' FWL & 1775' FNL	SWNE	Sec. 14-9S-21E	Natural Buttes	Uintah
CIGE 171	43-047-32348		Ute Tribe	377' FSL & 2008' FEL	SWSE	Sec. 14-93-21E	Natural Buttes	Uintah*
COGC 2	43-047-30967			802' FNL & 1902' FWL	NENW	Sec. 22-9S-20E	Natural Buttes	Uintah
NBU 6	43-047-30083				NWSE	Sec. 24-9S-21E	Natural Buttes	Uintah
NBU 42	43-047-31735		N/A	2181' FNL & 1621' FWL	SENW		Natural Buttes	Uintah
NBU 45N	43-047-30875		N/A	1555' FSL & 792' FWL	SWSW	Sec. 30-9S-22E	Natural Buttes	Uintah
NBU 48N3	43-047-30538		Ute	1866' FNL & 382' FWL		Sec. 12-9S-20E	Natural Buttes	Uintah
NBU 49V	43-047-31249		N/A	1161' FNL & 2017' FEL	SWNW	Sec. 18-9S-22E	Natural Buttes	Uintah
NBU 52J	43-047-30850			2122' FSL & 754' FWL	NWNE	Sec. 30-9S-22E	Natural Buttes	Uintah
NBU 57N	43-047-30867		N/A	570' FNL & 1925' FWL	NWSW	Sec. 30-9S-22E	Natural Buttes	Uintah
NBU 63N3	43-047-31097				NENW	Sec. 27-9S-21E	Natural Buttes	Uintah
<del></del>	43-047-31098		Ute Tribe	1980' FNL & 660' FWL	SWNW	Sec. 12-9S-21E	Natural Buttes	Uintah
NBU 78	43-047-31762		N/A	1975' FSL & 751' FEL	NESE	Sec. 8-9S-21E	Natural Buttes	Uintah
	10 041 01102	0-400	IN/A	1239' FNL & 625' FWL	NWNW	Sec. 30-9S-22E	Natural Buttes	Uintah

Well Name	API No.	Lease Designation	If Indian,	Footages	Qtr/Qtr	Location	Field	County
		& serial number	Allottee or			20041011	i ioiu	County
			Tribe Name					
NBU 83J	43-047-31235	U-01194-A-ST	N/A	1532' FSL & 1835' FWL	NESW	Sec. 27-9S-21E	Natural Buttes	Uintah
NBU 104	43-047-31957	ML-3282	Ute Surface	1181' FNL & 986' FEL	SENE	Sec. 16-9S-21E	Natural Buttes	Uintah
NBU 106	43-047-31946	UTU-0576	N/A	1980' FSL & 1980' FWL	NESW	Sec. 21-9S-21E	Natural Buttes	Uintah
NBU 110	43-047-31924	UTU-0576	N/A	637' FNL & 698' FEL	NENE	Sec. 28-9S-21E	Natural Buttes	Uintah
NBU 119	43-047-31927	UTU-01416A	N/A	603' FNL & 528' FEL	NENE	Sec. 15-10S-21E	Natural Buttes	Uintah
NBU 121Y	43-047-32086	UTU-01193	Ute Surface	819' FNL & 2163' FEL	NWNE	Sec. 13-9S-21E	Natural Buttes	Uintah
NBU 122	43-047-32303	U-01193	Ute Tribe	1047' FSL & 678' FEL	NESE	Sec. 13-9S-21E	Natural Buttes	Uintah
NBU 124	43-047-31971	ML-3282	Ute Tribe	435' FNL & 2295' FEL	NWNE	Sec. 16-9S-21E	Natural Buttes	Uintah
NBU 125	43-047-32350	U-0575	N/A	760' FEL & 620' FSL	SESE	Sec. 17-9S-21E	Natural Buttes	Uintah
NBU126	43-047-32349		N/A	2200' FWL & 1600' FNL	SENW	Sec. 21-9S-21E	Natural Buttes	Uintah
NBU 127	43-047-31963	UTU-0576	Ute Tribe	2285' FNL & 741' FWL	SWNW	Sec. 21-9S-21E	Natural Buttes	Uintah
NBU 128	43-047-31964	UTU-0576		996' FSL & 951' FWL	swsw	Sec. 21-9S-21E	Natural Buttes	Uintah
NBU 129	43-047-31965	UTU-010950A	Ute Tribe	2055' FNL & 569' FEL	SENE	Sec. 22-9S-21E	Natural Buttes	Uintah
NBU 130	43-047-31967	UTU-0147566	N/A	2159' FNL & 828' FWL	SWNW	Sec. 22-9S-21E	Natural Buttes	Uintah
NBU 133	43-047-31978	ML-22582	N/A	469' FSL & 1740' FEL	SWSE	Sec. 35-9S-21E	Natural Buttes	Uintah
NBU 144	43-047-32022	ML-22651	N/A	1501' FNL & 1719' FEL	SWNE	Sec. 2-10S-22E	Natural Buttes	Uintah
NBU 145	43-047-31976	ST-U-01194A		661' FNL & 1440' FEL	NWNE	Sec. 27-9S-21E	Natural Buttes	Uintah
NBU 175	43-047-32143	U-0576	N/A	1902' FWL & 658' FNL	SWNW	Sec. 28-9S-21E	Natural Buttes	Uintah
NBU 176	43-047-32144	U-0576		2071' FNL & 604' FWL	SWNW	Sec. 28-9S-21E	Natural Buttes	Uintah
NBU 177	43-047-32112	UTU-0581	N/A	1855' FSL & 760' FEL	NESE	Sec. 29-9S-21E	Natural Buttes	Uintah
NBU 178	43-047-32121	UTU-0581	N/A	466' FNL & 1781' FEL	NWNE	Sec. 30-9S-21E	Natural Buttes	Uintah
NBU 181	43-047-32161	UTU-0576	Ute Tribe	503' FSL & 1849' FWL	SESW	Sec. 9-9S-21E	Natural Buttes	Uintah
NBU 183	43-047-32122	U-01194A	N/A	2014' FNL & 646' FWL	SWNW	Sec. 27-9S-21E	Natural Buttes	Uintah
NBU 184	43-047-32170	UTU-0463	N/A	541' FSL & 1778' FWL	SESW	Sec. 30-9S-22E	Natural Buttes	Uintah
NBU 191	43-047-32298	U-010950-A	N/A	694' FSL & 383' FWL	SWSW	Sec. 15-9S-21E	Natural Buttes	
NBU 192	43-047-32299	U-0147566	N/A	753' FNL & 2013' FWL	NENW	Sec. 22-9S-21E	Natural Buttes	Uintah ∉ Uintah
NBU 193	43-047-32300	U-010950-A	N/A	660' FSL & 660' FWL	SWSW	Sec. 22-9S-21E	Natural Buttes	
NBU 194	43-047-32296	U-010959-A	N/A	1765' FSL & 1709' FWL	NESW	Sec. 22-9S-21E	Natural Buttes	Uintah
NBU 195	43-047-32355	U-014137	···	700' FNL & 2000' FEL	NWNE	Sec. 11-9S-21E		Uintah
NBU 199	43-047-32337	U-0576-A		369' FWL & 460' FSL	SWSW	Sec. 9-9S-21E	Natural Buttes	Uintah
NBU 202	43-047-32338			900' FNL & 600' FEL	NENE	Sec. 8-9S-21E	Natural Buttes	Uintah
NBU 214	43-047-32466			1945' FSL & 600' FWL	NWSW	Sec. 27-9S-21E	Natural Buttes	Uintah
	43-047-32288	ML-21510		1181' FSL & 1992' FEL	SWSE	Sec. 2-9S-21E	Natural Buttes	Uintah
NBU 36Y	43-047-30603			1545' FNL & 1250'FEL	SENE		Natural Buttes	Uintah
NBU 166	43-047-32065			941' FSL & 1693' FEL	SWSE	Sec. 30-9S-21E	Natural Buttes	Uintah
			111/1	041 10E & 1093 FEE	3442E	Sec. 28-9S-21E	Natural Buttes	Uintah

TED STATES . Form 3160-5 **FORM APPROVED** IT OF THE INTERIOR √ (June 1990) Budget Bureau No. 1004-0135 BUREAU OF LAND MANAGEMENT Expires: March 31, 1993 signation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU-0576 Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. 6. If Indian, Alottee or Tribe Name Use "APPLICATION FOR PERMIT" - for such proposals N/A . If Unit or CA, Agreement Designation SUBMIT IN TRIPLICA 抽 Natural Buttes Unit 1. Type of Well Well Name and No. Oil Well Gas Well Other **NBU 166** 2. Name of Operator API Well No. DIV. OF OIL, GAS & MINING Coastal Oil & Gas Corporation 43-047-32065 3. Address and Telephone No. 10. Field and Pool, Or Exploratory Area P. O. Box 749, Denver, CO 80201-0749 (303) 573-4476 Natural Buttes 4. Location of Well (Footage, Sec., T., R., M., Or Survey Description) 11. County or Parish, State 941' FSL & 1693' FEL Section 28, T9S-R21E Uintah Co., Utah CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Frecturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to injection Other Acidize lwr tbg & install PLE Dispose Water (NOTE: Report results of multiple comple Completion or Recompletion Report and Log form.) Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and tru vertical depths for all markets and zones partinent to this work.)\* Please see the attached chronological history for work performed on the subject well. THI Senior Environmental Analyst 04/22/97 **Bonnie Carson** (This space for Federal or State office use) APPROVED BY Dat Conditions of approval, if any: Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statements or representations as to any matter within its jurisdiction.

### Acidize Lower Jubing and install PLIG

03/10/97

RU BJ Serv. To spot acid on perf. Road Rig from CIGE #156 to NBU #166. MIRU. SICP 500 psi, FTP 250 psi. RU pmp & lines & pmp 40 bbls dn csg. ND WH & NU BOPs. RU floor & tbg equip. RU broach & RIH to SN. PU & LD hanger & blast jt. Talley & PU - RIH w/2%" tbg. Tag fill @ 5948'. LD 7 jts tbg. RIH w/broach to SN & RD broach. PU hanger & land tbg w/181 jts total - EOT @ 5768' SN @ 5727'. ND BOPs & NU WH. Pull 1 vlv off WH. Drain pmp & lines. SDFN

DC: \$9,009

TC: \$9,009

03/11/97

Swab on well & try unplug tbg. SICP 400 psi, SITP 0 psi. RU BJ Serv. To spot acid on perf from 4934'-5753' w/ 850 gals 15% HCl w/add. Total load 72 bbls, MP 850 psi, AP 500 psi. M.rt 5, A.rt 3.5, ISTP 0 5 mins on vacuum. RD BJ Serv & RD & MO pulling unit &

	WO acid & instl PLE stop. MIRU Delsco Start swabbing IFL 3200', Made 12 runs, rec 25 BW, rec 25 BW, acid FFL 3800'. Last 3 runs, tbg plug @ 3800' w/SD & scale. SDFN DC: \$4,620
03/12/97	Prep to swab. ITP 0 psi, ICP 400 psi, IFL 3600'. Pmp 100 bbls KCl wtr dn csg @ 225°F. Pmp 30 BW dn tbg. Tbg start to swab. Swab 12 runs, rec 40 bbls, FTP 0 psi, FCP 200 psi, FFL 3600'. SI for press build-up. Total load 202, 65 BLR, 137 BLTR. DC: \$2,012
03/13/97	Prep to swab. IFP 25 psi, ICP 400 psi, IFL 3600'. Made 20 swab runs, recovered 100 bbls. Drpd standing vlv and plunger. SI to build press. FTP 75 psi, FCP 500 psi, FFL 4500'. 202 BTL, 165 BLR, 37 BLTR
	DC: \$1,420 TC: \$17,061
03/14/97	Prep to swab. SICP 750 psi, SITP 0 psi. Swab w/Delsco, IFL 3800'. Made 5 runs, rec 25 BW, FFL 5700'. Flowed & trip plunger 7 times, FCP 520 psi, FTP 0 psi. SWI for build up. 37 BTL, 37 BLR, 0 BLTR
	DC: \$1,333 TC: \$18,394
03/15/97	Made 3 swab runs, rec 10 bbls, IFL 4500', EFL 4800'. Put back on production @ 10 AM. Flowing 19 MCF, 6 BW, 260 TP, 800 CP, on 20/64" chk.
	DC: \$1,194 TC: \$19,588
03/16/97	Flowing 20 MCF, 30 BW, 325 TP, 600 CP, on 16/64" chk.
03/17/97	Flowing 9 MCF, 10 BW, 350 TP, 765 CP, on 16/64" chk. PL 4 hrs.
03/18/97	Flowing 50 MCF, 3 BW, 175 TP, 350 CP, on 16/64" chk. PL flow 21/2 hrs.
03/19/97	Flowing 27 MCF, 20 BW, 100 TP, 350 CP, on 18/64" chk.
03/20/97	Flowing 32 MCF, 20 BW, 240 TP, 310 CP, on 20/64" chk. Final Report

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

	DIVISION OF OIL, GAS AND M	INING	5 LEASE DESIGNATION AND SERIAL NUMBER.
SUNDRY	Y NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drift a	new wells, significantly deepen existing wells below ou aterals. Use APPLICATION FOR PERMIT TO ORILL	rrent bottom-hale depth, reenter plugged wells, or to form for such proposals.	7 UNIT OF CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER:  Exhibit "A"
2. NAME OF OPERATOR:			9. APINUMBER.
	Production Oil & Gas (		
3. ADDRESS OF OPERATOR:	_	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
3 South 1200 East CIT 4. LOCATION OF WELL	y Vernal sıate Utah zır	<u>84078   435–789–4433 </u>	
FOOTAGES AT SURFACE:			COUNTY;
QTR/QTR, SECTION, TOWNSHIP, RAM	IGE, MERIOIAN:		STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL, SITE	X OTHER: Name Change
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12 DESCRIBE PROPOSED OF CO	OMPLETED OPERATIONS Clearly show all	pertinent details including dates, depths, volum	es els
	• • •	Coastal Corporation and	
subsidary of El	Paso Energy Corporation	n, the name of Coastal (	Oil & Gas Corporation
has been change	d to El Paso Production	Oil & Gas Company effe	ctive March 9, 2001.
	See E	xhibit "A"	

Bond # 400JU0708

Coastal Oil & Gas Corporation

NAME (PLEASE PRINT) John T Elzner

El Paso Production Oil & Gas Company

NAME (PLEASE PRINT) John T Elzner

IIILE Vice President

OATE 06-15-01

Vice President

SIGNATURE

DATE 06-15-01

RECEIVED

JUN 19 2001

(C) (- 1 3 - 59**0)** 

## State of Delaware

Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

供的 人 对的

DIVISION OF DIL. GAS AND MINING

Darriet Smith Windson, Secretary of State

AUTHENTICATION: 1061007

DATE: 04-03-01

0610204 8100

010162788

### CERTIFICATE OF AMENDMENT

OF

### CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall

Vice President

Attest:

largaret E. Roark, Assistant Secretary

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 11:00 AM 03/09/2001

FILED 11:00 AM 03/09/2 010118394 - 0610204

IUN 19 2001

DIVISION OF OIL, GAS AND MINING



# United States Department of the Interior

### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

## RECEIVED

JUL 1 2 2001

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTSL-065841 (UT-924)

JUL 1 0 2001 -

### NOTICE

El Paso Production Oil & Gas Company

Oil and Gas

Nine Greenway Plaza

Houston TX 77046-0095

Acceptable evidence has been received in this office concerning the name change of <u>Coastal Oil & Gas Corporation</u> into <u>El Paso Production Oil & Gas Company</u> with <u>El Paso Production Oil & Gas Company</u> being the surviving entity.

Name Change Recognized

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entitities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.

Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

### Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922)
Joe Incardine (UT-921)

### **Exhibit of Leases**

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

### Division of Oil, Gas and Mining

### **OPERATOR CHANGE WORKSHEET**

ROUTING 1. GLH 4-KAS 5-LP ン CDW JLT 6-FILE

06/21/2001

608186-0143

Enter date after each listed item is completed

Change of Operator (Well Sold)

Is the new operator registered in the State of Utah:

Designation of Agent

Operator Name Change (Only)

 $\mathbf{X}$ Merger

FROM: (Old Operator): COASTAL OIL & GAS CORPORATION Address: 9 GREENWAY PLAZA STE 2721 HOUSTON, TX 77046-0995			··· • • • · · · · · · · · · · · · · · ·				
Address: 9 GREENWAY PLAZA STE 2721		IEL PASO	TO: ( New Operator): EL PASO PRODUCTION OIL & GAS COMPANY				
			9 GREENWA				
JOUETON TV 77046 0005		11441455.	, GIEBITITI		7113 2721	1411 27 7 7	
AUUSTUN, LA 7/040-0333		HOUSTO	N, TX 77046-	0995			
Phone: 1-(713)-418-4635		Phone:	1-(832)-676-				
Account N0230		Account	N1845				
	****						
	CA No.	Unit:	NATURAL	BUTTES			
WELL(S)							
	API	ENTITY	SEC TWN	LEASE	WELL	WELL	
NAME	NO	NO	RNG	TYPE	TYPE	STATUS	
NBU 6	43-047-3008	3 2900	24-09S-21E	FEDERAL	GW	P	
NBU 210-24	43-047-3115	3 2900	24-09S-21E	FEDERAL	GW	P	
NBU 219-24	43-047-3130		24-09S-21E	FEDERAL	GW	P	
NBU 301-24E	43-047-3213		24-09S-21E	FEDERAL	GW	P	
NBU 336-24E	43-047-3226	4 2900	24-09S-21E	FEDERAL	GW	P	
NBU 386-24E	43-047-3305	6 2900	24-09S-21E	FEDERAL	GW	P	
NBU 111	43-047-3192	0 2900	25-09S-21E	FEDERAL	GW	P	
NBU 320	43-047-3320	1 99999	25-09S-21E	STATE	GW	APD	
NBU 15	43-047-3020		26-09S-21E	FEDERAL	GW	P	
NBU 107	43-047-3191	6 2900	26-09S-21E	FEDERAL	GW	P	
NBU 132	43-047-3193	8 2900	26-09S-21E	FEDERAL	GW	P	
NBU 190	43-047-3223	2 2900	26-09S-21E	FEDERAL	GW	P	
NBU 109	43-047-3191		27-09S-21E	FEDERAL	GW	P	
NBU 20	43-047-3025		28-09S-21E	FEDERAL	A	P	
NBU 56	43-047-3088	4 2900	28-09S-21E	FEDERAL	GW	P	
NBU 110	43-047-3192		28-09S-21E	FEDERAL	GW	P	
NBU 133	43-047-3195		28-09S-21E	FEDERAL		P	
NBU 134	43-047-3201	1 2900	28-09S-21E	FEDERAL	GW	P	
NBU 166	43-047-3206		28-09S-21E	FEDERAL		P	
NBU 175	43-047-3214	3 2900	28-09S-21E	FEDERAL	GW	P	
OPERATOR CHANGES DOCUMEN		5 [2900	120-035-211	TEDERAGE	IQ.Y	12	
1. (R649-8-10) Sundry or legal documentation	was received from the FOR	MER operate	r on:	06/19/2001		<del></del>	

The new company has been checked through the Department of Commerce, Division of Corporations Database on:

Business Number:

5.	If NO, the operator was contacted contacted on:	N/A	
6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian le	— — — — — — — — — — — — — — — — — — —	the (merger, name change, 07/10/2001
7.	Federal and Indian Units: The BLM or BIA has ap	pproved the successor	of unit operator
8.	<del>_</del>		or the BIA has approved the operator
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the wa		UIC Form 5, Transfer of Authority to Inject, on: N/A
<b>D</b> 2	ATA ENTRY: Changes entered in the Oil and Gas Database on:	07/31/2001	
2.	Changes have been entered on the Monthly Operator Chan	nge Spread Sheet on:	07/31/2001
3.	Bond information entered in RBDMS on:	N/A	i
4.	Fee wells attached to bond in RBDMS on:	N/A	
SI	TATE BOND VERIFICATION:		
1.	State well(s) covered by Bond No.:	N/A	
FI 1.	EDERAL BOND VERIFICATION: Federal well(s) covered by Bond No.:	WY 2793	
FI	EE WELLS - BOND VERIFICATION/LEASE I	NTEREST OWNER	NOTIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed coverage.	ered by Bond No:	N/A
2.	The <b>FORMER</b> operator has requested a release of liability from The Division sent response by letter on:	rom their bond on: N/A	N/A
3.	(R649-2-10) The <b>FORMER</b> operator of the Fee wells has be of their responsibility to notify all interest owners of this characteristics.		by a letter from the Division
	ILMING: All attachments to this form have been MICROFILMED or	1:	
	ILING: ORIGINALS/COPIES of all attachments pertaining to each	individual well have been	filled in each well file on:
	OMMENTS: Master list of all wells involved in operate roduction Oil and Gas Company shall be retained in t		
	Toduction On and Gas Company Shan be retained in t	ine Operator Change r	HG .
		(MICE - MICE - M	

• .

JAN. 17. 2003 3:34PM





NO. 173 P. 2



### WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventeenth Street #2300 Deriver Colorado #2202-4436 Telephone: 303 573 5404 Fest: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE:

BLM Bond CO-1203

BLM Nationwide Bond 158626364 Surety - Continental Casualty Company

Belco Energy Corporation marger into Westport Oil and Gas Company, Inc.

Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.

Assumption Rider - Westport Oil and Gas Company, L.P.

### Dear Ms. Maxwell;

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (Z) Assumption Riders, fully executed originals.

Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc., Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas

Company, L.P.

List of all Federal/BLA/State Leases - Beloo/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Black

Debby J. Black

Engineer Technicien

Encl;



# United States Department of the Interior RECEIVED

### **BUREAU OF LAND MANAGEMENT**

FEB 2 2 2002

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF OIL. GAS AND MINING

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

### **NOTICE**

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300

Denver Colorado 80215-7093

### Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Westport Oil</u> and <u>Gas Company</u>, <u>Inc.</u> into <u>Westport Oil</u> and <u>Gas Company</u>, <u>L.P.</u> with <u>Westport Oil</u> and <u>Gas Company</u>, <u>L.P.</u> being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

> UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

> > Minerals Adjudication

Moab Field Office cc:

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922)

Joe Incardine (UT-921)

UNITED STATES GOVERNMENT

# memoran

**Branch of Real Estate Services** Uintah & Ouray Agency

٠. ٧

Date

5 December, 2002

Reply to

Attn of:

Supervisory Petroleum Engineer

Subject:

Modification of Utah Division of Oil, Gas and Mining Regulations

To:

Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process. Pholis H Cameron

CC:

Minerals & Mining Section of RES

Ute Energy & Mineral Resources Department: Executive Director chrono



## United States Department of the Interior

# BUREAU OF INDIAN AFFAIRS Washington, D.C. 20240

FEB 1 0 2003

Carroll A. Wilson Principal Landman Westport Oil and Gas Company, L.P. 1368 South 1200 East Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely.

ACTINO

Director, Office of Trust Responsibilities

Enclosure



## United States Department of the Interior

# BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

February 27, 2003

Westport Oil and Gas Company, L.P. Attn: Gary D. Williamson 1670 Broadway, Suite 2800 Denver, Colorado 80202

Re:

Natural Buttes Unit Uintah County, Utah

**∌**•

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

### Enclosure

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Natural Buttes Unit (w/enclosure)

Agr. Sec. Chron

Fluid Chron

UT922:TAThompson:tt:02/27/2003

**RECEIVED** 

FEB 2 8 2003

DIV. OF OIL, GAS & MINING

### STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6 IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER.  Exhibit "A"
2. NAME OF OPERATOR:	9. API NUMBER:
El Paso Production Oil & Gas Company  3. ADDRESS OF OPERATOR: I PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
9 Greenway Plaza Sp., Houston SMARE TX 77064-0995 (832) 676-5933	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	
FOOTAGES AT SURFACE:	COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS  OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON  SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	VENT OR FLARE
(Submit Original Form Only)	WATER CHILT OFF
Date of work completion:  CHANGE WELL STATUS  PRODUCTION (START/RESUME)  COMMINGLE PRODUCING FORMATIONS  RECLAMATION OF WELL SITE	WATER SHUT-OFF
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	as air
Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 28 effective December 17, 2002.	800, Denver, CO. 80202-4800,
BOND #	
State Surety Bond No. RLB0005236 Fee Bond No. RLB0005238	RECEIVED
EL PASO PRODUCTION OIL & GAS COMPANY	EED 0 0 0000
	FEB 2 8 2003
By: Jon R. Welsen, Attorney-in-Fact	DIV. OF OIL, GAS & MINING
WESTPORT OIL AND GAS COMPANY, L.P.  David R. Dix  Agent and Attorn	ey-in-Fact
SIGNATURE DATE	

(This space for State use only)

			MAR U 4 2003
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) CHERYL CAMERON	Title	One	OF OIL, GAS & MININ
Aignature Comes	OPERATIONS  Date March 4, 2003		
Approved by THIS	SPACE FOR FEDERAL OR STATE L		
Conditions of approval, if any, are attached Approval of this motice of certify that the applicant holds legal or equitable title to those rights it which would endie the applicant to conduct operations thereon.  11th 18 U.S.C. Section 100	oes not warrant or Office	Date	
Title 18 U.S.C. Section 1001, make it a crime for any pers false, ficitious or fraudulent statements or representations a (Instructions on reverse)	on knowingly and willfully to make to a so any matter within its jurisdiction.	my department or agency of the	United States any

### **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH

2. CDW

3. FILE

### X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has chang	ged, effective:	12-17-02				
FROM: (Old Operator):		TO: ( New Operator):				
EL PASO PRODUCTION OIL & GAS COMPANY		WESTPORT OIL & GAS COMPANY LP				
Address: 9 GREENWAY PLAZA		Address: P O BOX 1148				
HOUSTON, TX 77064-0995		VERNAL, UT	84078			
Phone: 1-(832)-676-5933	<del></del>	Phone: 1-(435)				
Account No. N1845		Account No.				
CA	No.	Unit:		L BUTTES		
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NBU 166	28-09S-21E	43-047-32065	2900	FEDERAL		P
NBU 307	28-09S-21E	43-047-33007	2900	FEDERAL	GW	P
NBU 260		43-047-33009		FEDERAL		P
NBU 435	28-09S-21E	43-047-34805	99999	FEDERAL		APD
NBU 454	28-09S-21E	43-047-34698	99999	FEDERAL		APD
NBU 422-29E		43-047-33698		FEDERAL		P
NBU 177	29-09S-21E	43-047-32112	2900	FEDERAL		P
NBU 15-29B		43-047-30296		FEDERAL		P
NBU 35Y		43-047-30503		FEDERAL		P
NBU 313-29E		43-047-32378		FEDERAL		P
NBU 356-29E		43-047-32383		FEDERAL		P
NBU 455		43-047-34699		FEDERAL		APD
NBU 364		43-047-33776		FEDERAL		TA
UTE TRAIL U 12		43-047-15384		FEDERAL		PA
NBU 36Y		43-047-30603	2900	FEDERAL		P
NBU 178	30-09S-21E	43-047-32121	2900	FEDERAL		P
NBU 261	30-09S-21E	43-047-32928	2900	FEDERAL		P
NBU 309	30-09S-21E	43-047-33010	2900	FEDERAL		P
NBU 436			99999	FEDERAL		APD
NBU 460	30-09S-21E	43-047-34697	99999	FEDERAL	GW	APD
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received. 2. (R649-8-10) Sundry or legal documentation was received.	ived from the FOR	_	on: 03/04/200	<u>02/28/2003</u>	<u>.</u>	
3. The new company has been checked through the Dep.	artment of Comm	nerce, Division o	of Corpora	itions Datab	ase on:	03/06/200
4. Is the new operator registered in the State of Utah:	YES	_Business Numl	ber:	1355743-018	<u>8</u> 1	
5. If NO, the operator was contacted contacted on:		_				

6. (R	.649-9-2)Waste Management Plan has been received on:	IN PLACE		
7.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian			me change, 12/5/02
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit open	erator for wells listed on:	02/27/2003	
9.	Federal and Indian Communization Agreement The BLM or BIA has approved the operator for all wells	•	N/A	
10.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the v			nsfer of Authority to Inject, V/A
DA	TA ENTRY:			•
1.	Changes entered in the Oil and Gas Database on:	03/12/2003		
2.	Changes have been entered on the Monthly Operator Ch	ange Spread Sheet on:	03/12/2003	
3.	Bond information entered in RBDMS on:	N/A		
4.	Fee wells attached to bond in RBDMS on:	N/A		
	ATE WELL(S) BOND VERIFICATION: State well(s) covered by Bond Number:	RLB 0005236		
	DERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	158626364		
	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	RLB 0005239		
	E WELL(S) BOND VERIFICATION: R649-3-1) The NEW operator of any fee well(s) listed co	overed by Bond Number	RLB 0005238	
	he FORMER operator has requested a release of liability he Division sent response by letter on:	from their bond on: N/A	N/A	
3. (I	ASE INTEREST OWNER NOTIFICATION: R649-2-10) The FORMER operator of the fee wells has been their responsibility to notify all interest owners of this characteristics.	een contacted and informed	by a letter from the	e Division
CO	MMENTS:			

# UNITED STATES DEPARTM OF THE INTERIOR BUREAU OF LAND MANAGEMENT

### SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED
OMB No. 1004-0135
Expires Inovember 30, 2000

	Lease	Serial	No.

	-	-		٠	-		-	-	
44.5									

SONDICE	HOTICES AND REPORT	3 ON WELLS		Livininble Aveils -	· see attached
	s form for proposals to . Use Form 3160-3 (APD)			6. If Indian, Allotte	ce or Tribe Name
SUBMIT IN TRIPLI	ICATE – Other instru	ıctions on revers	e side	7. If Unit or CA/A <sub>2</sub> 891008900A	greement, Name and/or No.
1. Type of Well					
Oil Well 😧 Gas Well	Other			8. Well Name and	
2. Name of Operator			•	Multiple Wells -	see attached
WESTPORT OIL & GAS COM	PANY, L.P.			9. API Well No.	
3a. Address		3b. Phone No. (include	e area code)	Multiple Wells -	see attached
P.O. BOX 1148 VERNAL, UT 8		(435) 781-		10. Field and Pool, o	
4. Location of Well (Footage, Sec., T.,	R., M., or Survey Description)		-	Natural Buttes I	<b>Jnit</b>
Multiple Wells - see attached				11. County or Parish	, State
				Uintah County,	UT
10 CTTCOV 4	PRE ORDIA (TELEVISION DO LA CALLA DE LA CA			-	
	PPROPRIATE BOX(ES) TO	) INDICATE NATURE	OF NOTICE, RE	PORT, OR OTHER	DATA
TYPE OF SUBMISSION		TY	PE OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (	(Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete	_	Other
Final Abandonment Notice	Change Plans	Plug and Abandon	Temporarily		<u> </u>
13. Describe Proposed or Completed Oper	Convert to Injection	Plug Back	Water Dispo	•	
If the proposal is to deepen directional Attach the Bond under which the worldollowing completion of the involved contesting has been completed. Final Abdetermined that the site is ready for final Westport Oil & Gas requests a variance.	k will be performed or provide to operations. If the operation resultandomment Notices shall be file all inspection.  e to Onshore Order No. 4, Par	the Bond No. on file with ults in a multiple completion and only after all requirement art IIIC.a. requiring each s	BLM/BIA. Requirement or recompletion in onts, including reclassicates tank be equired.	red subsequent reports in a new interval, a Fo mation, have been con pped	shall be filed within 30 days rm 3160-4 shall be filed once repleted, and the operator has
with a pressure-vacuum thief hatch and					
condensate will not payout the increme	ntal cost of purchasing and m	naintaining the valve resu	ulting in a loss of v	alue over the produc	ing life of the well.
The volume lost to shrinkage by droppi					
of a representative sample from the fiel The average NBU well produces appro					
month lost volume due to shrinkage. The					er
and maintaining the valves and other d					-14 1. 1
Westport Oil & gas requests approval of					
14. I hereby certify that the foregoing is tri		The second secon	on to the operator a	The the fillieral royal	ty owners.
Name (Printed/Typed)		Title			SEP 1 n 2002
J.T. Conley	COPY SENT TO OPE	RATOR	Opera	ations Manager	SEP 1 0 2003
Signature	( Initials CH/	Date	-2-2003	1	DIV OF OIL CASSAME
- tr (lulle)	/				
Americad by	THIS SPAC	E FOR FEDERAL OR S	STATE USE DOOD!OO DY	the	- LOUThic
Approved by		Title U	tah Division	O Date	Federal Approved Of This Action is Necessary
Conditions of approval, if any, are attached certify that the applicant holds legal or equits which would entitle the applicant to conduct	able title to those rights in the subj		Gas and M 1/16/03	<b>ining</b>	ACRON 10-14-0-14-1
Title 18 U.S.C. Section 1001, make if false, fictitious or fraudulent statemen	t a crime for any person know	wingly and willfully to	make to any den	tunent or agency of	the United States any

Westport	Oil & Ga	s, L.P.											<del></del>		
Project E	conomic:	Works	he												
Instructions:		fill in blue	Ь	eas with b											
		are show		and grophe											ľ
				vent accid							<b>8</b> \$.				ł
		O. A. O. 110		11001 00313	414/01	A3 OI 81 C	or A Cost	3101 3/01	CIN DAM	<b>⊸</b> Γ					1
Project Nam	e:	Condens	ate Shrin	kage Econ	omics							┑ .	-		
i						_						_			1
IS 11	his job a weii	pull or pro			N	() or	•								
				BEFORE \$/Year			AFTER			RENÇE					
ļ ,	Gross Oil Rev	enue		\$1,088			\$1,099	7	<del></del>	/ecor \$11					
	Gross Gas Re	venue		\$0			\$0	_		\$0					
	NGL Revenue			\$0			\$0	1		\$0					
	PULING UNIT							]		\$0					
	WIRELINE SER							j		\$0					ļ
	SUBSURF EQU COMPANY L					<u> </u>		4		\$0					
	CONTRACT		_	şo			\$200	-	-	\$0 \$200					
	CONTR SERVI			<u>Y</u> -			4200	1	<b>-</b>	\$0					1
	LEASE FUEL G			\$0			\$0	1		\$0					- 1
	UTILITIES - ELEC			\$0			\$0	]		\$0					
L	CHEMICAL TR							]		\$0					
	MATERIAL & S WATER & HAL			\$0		$\vdash$	\$150	4	<b></b>	\$150					
	ADMINISTRAT		-			<b>-</b>		1	-	\$0 \$0					-
	GAS PLANT P		<del>5</del>			$\vdash$		1	<del></del>	\$0					
		Totals		\$0			\$350		ш		Increase	d OPX	Per Year		ł
				•											- 1
ı	investment B					- بایم			<b>5</b>						- 1
		Cap/Ex Code	•	Cost, \$		Oli Pr Gas f			\$/BO						-
(	Capital \$	820/830/		\$1,200			ric Cost	\$ 3.10	\$/MCF \$/HP/	dav					
	Expense \$	830/86		\$0 \$0		OPX/			\$/BF	QQy					
	Total \$			\$1,200		OPX/			\$/MCF						
															ļ
I	Production	& OPX D													
,	Oil Production	_	Bef			After		٠.	Differen						i
	Jii Production Gas Productio		- ⊨	0.192	BOPD MCFPD	⊢		BOPD		0.002 B					
	Wir Productio		<u> </u>		MCPD BWPD			MCFPD BWPD	<u> </u>		ACFPD WPD				
	Horse Power	.,			HP	$\vdash$		HP	-	- 0 #					
F	vel Gas Burn	ed			MCFPD	$\vdash$		MCFPD	<u> </u>		CFPD				
			L			·									
Ti.	Project Life:							·							
j'	riojeci uie:	1	Ke =	20.0	Years			Payout	Calculation	on:					1
		•		er than 20				Payout		Tot	al Investn	ant		<b>-</b> 1	
					,			,			ncremen			- •	i
L L	nternal Rate		_					1		•			•		
'	After Tax	IRC	OR =	DIV/0I							AT cashfk				
	AT Cum Cash	flow:						see gra	ou pelow	note ye	ars when	cashflow	reache:	s zero	-
l d	Operating Co	shflow =		(\$2,917)	Discoun	ted @	10%1	Payout :	= NEV	ER	Years or	#VA	LUEI C	Versus .	- 1
L								, =,=•.						/Gys	
	Fross Reserve														
	Dil Reserves = Sas Reserves			6 1	BO MCF										
	Sas Equiv Res				MCFE										
	•														
Notes/Assum															
1	n average N	BU well pr	oduces 0	192 Bcpd v	vith no to	ank pre	ssure. Th	e produc	tion is inc	reased t	0 0.196 80	pd # 6 o	zs of pre	25UT#	
ľ	re placed or	THE IGUK	THE INCIE	usea prodi	cuon d	zes not	payout	me Valve	cost or th	e estima	red annu	<u>al mainte</u>	nance o	COSTS.	
-															
				Project: (	Condens	iate Sh	rinkage l	Conomic	:s						
	ėn i														
	\$0	T I				: :	:	1	1	:	<del></del>	- :	1 :		1
	(\$500)			<u>.j j</u>	<u> </u>							- 1			
>			1						1			Ī			] [
2	(\$1,000)			. <b>j</b> j		ļ			ļ <u>i</u>				.ii.		
E E		ji i	į	: i	1		i								
ا تا ا	(\$1,500)	*	· <del>-</del>	· <del> </del>		ļ			ļ		ļ <u>i</u>		. <b></b>		
¥			-	1	1	;	:	- [		;		:	: :		
Cumulative Cashflow	(\$2,000) +			-		<del>}</del>	· <del>;</del>		ļ <del>.</del>		÷		÷ <del></del>		
第			į	1	-		-	:							
) <u>f</u>	(\$2,500) +	::-				} <del> </del>	·····-			<del> </del>	÷		j		
-	43 000)		:		-							<del>-                                    </del>			
	(\$3,000)			T		[ · · · · · · ·	····-		<u> </u>		: <del>:</del>	••	i	••••	]
1 0	(\$3,500) L						:							į	
<b>'</b>	0	1 2	3	4 5	6	7 8	9	10 1	1 12	13 1	4 15	16 1	7 18	19 2	
	-	_		-	•	•	_	ject Year		1		-4 1	., 10	17 2	20
							FIL	, 1 4001							1



RFL 2003-022

### **COMPARISON OF FLASH BACK PRESSURES**

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio	Specific Gravity of	Separator Volume	Separator Volume
		(scf/STbbl)	Flashed Gas	Factor	Percent
psig	°F	(A)	( Air=1.000 )	(B)	(C)
Calculated	l at Labora	tory Flash Condi	tions		
80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	_	1.000	98.14%
Calculated	l Flash witi	n Backpressure i	using Tuned EOS	5	
80	70			1.015	
6.0 oz	65	24.6	0.777	1,003	98.82%
0	60	0.0	-	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0		1.000	98.52%

<sup>(</sup>A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

<sup>(</sup>B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

<sup>(</sup>C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

WELL	LEGALS	STFLEASENO	CANUMBER	APINO
NBU 149	5-10-22 NESE	UTU01191	891008900A	430473198200S1
NBU 150	9-10-22 SENW	UTU01196B	891008900A	430473199200S1 430473199100S1
NBU 151 NBU 152	9-10-22 NWNW 9-10-22 SESE	UTU01196B UTU01196D	891008900A 891008900A	430473199100S1 430473199000S1
NBU 153	11-10-22 SWNW	U01197A	891008900A	430473197500S1
NBU 154	26-9-21 NWSE	ML22934	891008900A	430473200300S1
NBU 155	31-9-22 SENW	ML23607	891008900A	430473200400S1 V
NBU 156	35-9-21 SWNW	U01194	891008900A	430473200500S1 🗸
NBU 157	32-9-22 SESW	ML22649	891008900A	430473200700S1 V
NBU 158	27-9-21 NWSE	U01194A	891008900A	430473199700S1 430473199600S1
NBU 159SWD	35-9-21 NESW	U01194	891008900A	
NBU 161	32-9-22 SESE	ML22649 UTU4478	891008900A 891008900A	430473202300S1 ✓ 430473206600S1
NBU 162 NBU 163	12-10-20 SENW 14-10-21 NENW	UTU465	891008900A	430473206900S1
NBU 164	3-10-22 NWSE	UTU01191A	891008900A	430473205500S1
NBU 165	3-10-22 NENW	UTU01191	891008900A	430473205700S1
NBU 166	28-9-21 SWSE	U05676	891008900A	430473206500S1
NBU 167	25-9-21 SESW	U01194	891008900A	430473205400S1 🗸
NBU 168	12-10-20 NWSW	UTU4478	891008900A	430473211700S1 🗸
NBU 169	12-10-20 SESW	UTU4478	891008900A	430473211800S1
NBU 170	4-10-22 NWNW	UTU01191A	891008900A	430473216900\$1
NBU 171	5-10-22 SENE	UTU01191A	891008900A	43047321150051
NBU 172	19-9-22 NENE	UTU0284 UTU01191A	891008900A . 891008900A	430473219400\$1 430473211600\$1
NBU 173 NBU 174	33-9-22 NWNE 11-9-21 NWNW	UTU0141315	891008900A	430473219300S1
NBU 175	28-9-21 NENW	U05676	891008900A	430473214300S1
NBU 176	28-9-21 SWNW	U05676	891008900A	430473214400S1
NBU 177	29-9-21 NESE	UTU0581	891008900A	430473211200S1
NBU 178	30-9-21 NWNE	UTU0581	891008900A	430473212100S1
NBU 180	10-10-22 SWSE	UTU025187	891008900A	430473211300S1
NBU 181	9-9-21 SESW	UTU0576	891008900A	430473216100S1
NBU 182	11-9-21 SENW	UTU0141315	891008900A	430473216200S1 430473212200S1
NBU 183	27-9-21 SWNW	U01194A U463	891008900A	430473217000S1
NBU 184 NBU 185	30-9-22 SESW 3-10-22 SWNE	UTU01191A	891008900A 891008900A	430473217100S1
NBU 186	30-9-22 SENE	U463	891008900A	430473223300S1
NBU 187	34-9-22 SESW	UTU0149077	891008900A	430473223000S1
NBU 188	10-10-22 SWSW	U01196C	891008900A	430473223400S1
NBU 189	23-9-21 SESW	UTU0149075	891008900A	430473223600S1
NBU 190	26-9-21 NWNE	U01194	891008900A	430473223200S1
NBU 191	15-9-21 SWSW 22-9-21 NENW	UTU010950A UTU0147566	891008900A 891008900A	430473229800S1 430473229900S1
NBU 192 NBU 193	22-9-21 NENW	UTU010950A	891008900A	430473230000S1
NBU 194	22-9-21 NESW	UTU010950A	891008900A	430473229600S1
NBU 195	11-9-21 NWNE	UTU0141317	891008900A	430473235500S1
NBU 198	22-9-21 NWSE	UTU010950A	891008900A	430473235700S1
NBU 199	9-9-21 SWSW	UTU0576A	891008900A	430473233700S1
NBU 200	19-9-22 NESE	UTU0284	891008900A	430473235900S1
NBU 201	9-9-21 SWNW	UTU0149767 UTU0149767	891008900A 891008900A	430473236400S1 430473233800S1
NBU 202 NBU 204	8-9-21 NENE 9-10-22 NWNE	UTU01196D	891008900A 891008900A	430473234200S1
NBU 206	10-10-22 SWNW	U01196C	891008900A	430473234100S1
NBU 207	10-10-22 NENW	UTU69129	891008900A	430473232900S1 🗸
NBU 208	4-10-22 SESE	UTU01191	891008900A	<b>43</b> 0473234300S1
NBU 209	3-10-22 SWSW	UTU01191	891008900A	430473234500\$1
NBU 210	10-10-22 NESW	U01196C	891008900A	43047323 <b>400</b> 0S1
NBU 211	1-10-21 NWSW	U02842B	891008900A	4304732339 <b>00</b> \$1 430473239900\$1
NBU 212	24-10-20 NENW 15-10-22 NWNW	UTU4485 UTU025187	891008900A 891008900A	43047323990051 430473240100S1
NBU 213 NBU 214	27-9-21 NWSW	U01194	891008900A	430473246600\$1 ✓
NBU 215	12-10-21 NWNW	UTU01190	891008900A	430473247100S1
NDH 948	15 0 24 NIEQIA/	117110400504	201 <b>002</b> 0000	<u> </u>

# Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2 CDW

### X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	1/6/2006					
FROM: (Old Operator):	TO: ( New O	erator):				
N2115-Westport Oil & Gas Co., LP	N2995-Kerr-M		Gas Onsho	re, LP		
1368 South 1200 East	1368 S	outh 1200	East			
Vernal, UT 84078	Vernal	, UT 84078	3			
Phone: 1-(435) 781-7024	Phone: 1-(435)	781-7024				
CA No.	Unit:	N	ATURAL I	BUTTES	UNIT	
WELL NAME SEC TWN RNG	API NO	ENTITY	LEASE	WELL	WELL	
<b>l</b> 9,		NO	TYPE	TYPE	STATUS	
OPERATOR CHANGES DOCUMENTATION						
Enter date after each listed item is completed						
1. (R649-8-10) Sundry or legal documentation was received from the	FORMER ope	rator on:	5/10/2000	5		
2. (R649-8-10) Sundry or legal documentation was received from the	NEW operator	on:	5/10/2000	5		
3. The new company was checked on the Department of Commerce	e, Division of Co	orporation	s Database	on:	3/7/2006	
4a. Is the new operator registered in the State of Utah: YES	Business Numb	er:	1355743-01	81		
4b. If <b>NO</b> , the operator was contacted contacted on:	_			_		
5a. (R649-9-2)Waste Management Plan has been received on:	IN PLACE					
5b. Inspections of LA PA state/fee well sites complete on:	n/a	3 LA well	s & all PA v	vells tran	sferred	
5c. Reports current for Production/Disposition & Sundries on:	ok	•				
6. Federal and Indian Lease Wells: The BLM and or the I	BIA has appro	ved the n	nerger, na	me chan	ge,	
or operator change for all wells listed on Federal or Indian leases of	on:	BLM	3/27/2000	BIA	not yet	
7. Federal and Indian Units:						
The BLM or BIA has approved the successor of unit operator for	r wells listed on:		3/27/2006			
8. Federal and Indian Communization Agreements ("	CA"):					
The BLM or BIA has approved the operator for all wells listed w			n/a			
	ivision has appro		-	isfer of A	uthority to	
Inject, for the enhanced/secondary recovery unit/project for the wa	ater disposal wel	ll(s) listed o	on:			
DATA ENTRY:						
1. Changes entered in the Oil and Gas Database on:	5/15/2006					
2. Changes have been entered on the Monthly Operator Change Sp			5/15/2006	<del>_</del>		
<ul><li>3. Bond information entered in RBDMS on:</li><li>4. Fee/State wells attached to bond in RBDMS on:</li></ul>	5/15/2006	-				
<ul><li>4. Fee/State wells attached to bond in RBDMS on:</li><li>5. Injection Projects to new operator in RBDMS on:</li></ul>	5/16/2006	-				
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	-	n/a	Name Cha	nge Only		
BOND VERIFICATION:						
Federal well(s) covered by Bond Number:	CO1203					
2. Indian well(s) covered by Bond Number:	RLB0005239	-				
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by		-	RLB000523	36		
a. The <b>FORMER</b> operator has requested a release of liability from the	•	n/a	rider adde			
The Division sent response by letter on:			_			
LEASE INTEREST OWNER NOTIFICATION:		-				
4. (R649-2-10) The FORMER operator of the fee wells has been cont	tacted and inform	ned by a let	tter from the	Division		
of their responsibility to notify all interest owners of this change on		5/16/2006				
COMMENTS:						

Form 3 160-5 (August 1999)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5.	Lease	Seria!	No.

SUNDRY Do not use this abandoned well.	MULTIPLE LEASES  6. If Indian, Allottee or Tribe Name				
SUBMIT IN TRIP	LICATE – Other instr	uctions on reverse s	side	7. If Unit or CA/Agreement, Name and/or No.	
I. Type of Well				1	
Oil Well X Gas Well	Other Other			8. Well Name and No.	
2. Name of Operator				MUTIPLE WELLS	
KERR-McGEE OIL & GAS	ONSHORE LP			9. API Well No.	
3a. Address		3b. Phone No. (include of	rea code)	1	
1368 SOUTH 1200 EAST	VERNAL, UT 84078	r	10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec.	, T., R., M., or Survey Descript	(435) 781-7024 tion)		1	
SEE ATTACHED				11. County or Parish, State UINTAH COUNTY, UTAH	
12. CHECK API	PROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, F	REPORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE	OF ACTION	N	
Notice of Intent	Acidize Alter Casing	Deepen [	Production Reclamatic	(Start/Resume) Water Shut-Off	
Subsequent Report	Casing Repair Change Plans	New Construction	Recomplet	Other CHANGE OF	
Final Abandonment Notice	Convert to Injection	Plug and Abandon Plug Back	Water Disp		
13. Describe Proposed or Completed Op If the proposal is to deepen direction	erations (clearly state all pertiner nally or recomplete horizontally,	nt details, including estimated stagive subsurface locations and ma	arting date of a	my proposed work and approximate duration thereof. we vertical depths of all pertinent markers and zones.	

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.

KERR-McGEE OIL & GAS ONSHORE LP, IS DESPONSIBLE LINDER TERMS AND CONSIDERED.

RECEIVED

KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE

BIM BOND = CDI202

MAY 1 0 2006

IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

DIV. OF OIL, GAS & MINING

<ol> <li>I hereby certify that the foregoing is true and corn Name (Printed/Typed)</li> <li>FANDY BAYNE</li> </ol>	Title Earlene Ru  DRILLING MANAGER	leve Russell  f Oil, Gas and Mining ussell, Engineering Technician
Sightature / Sayne	Date May 9, 2006	
	THIS SPACE FOR FEDERAL OR STATE U	SE
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this certify that the applicant holds legal or equitable title to those which would entile the applicant to conduct operations thereo	rights in the subject lease	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3 160-5 (August 1999)

### UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5. Lease Serial No.

### MULTIPLE LEASES

SUNDRY NOTICES AND REPORTS ON WELLS

	Use Form 3160-3 (APD)			6. If Indian, Allottee or Tribe	Varne
SUBMIT IN TRIPL	ICATE – Other instru	ctions on rev	erse side	7. If Unit or CA/Agreement, N	ame and/or No.
I. Type of Well					
Oil Well X Gas Well	Other .			8. Well Name and No.	
2. Name of Operator				MUTIPLE WELLS	
WESTPORT OIL & GAS CO	MPANY L.P.			9. API Well No.	
3a. Address		3b. Phone No.	include area code)		
1368 SOUTH 1200 EAST V		(435) 781-70	24	10. Field and Pool, or Explorato	ry Area
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description	n)			
055 47740450				11. County or Parish, State	
SEE ATTACHED				UINTAH COUNTY, UTA	н
12. CHECK APP	ROPRIATE BOX(ES) TO I	NDICATE NAT	URE OF NOTICE	E, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACT	ION	
Notice of Intent	Acidize	Deepen	Produc	tion (Start/Resume)	Off
_	Alter Casing	Fracture Trea	_	· · · · · · · · · · · · · · · · · · ·	
X Subsequent Report	Casing Repair	New Construe		plete 👿 Other CHA	•
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Aba	= '	rarily Abandon OPERATO	R
13. Describe Proposed or Completed Oper	· – ·	Plug Back		Disposal	
ronowing completion of the involved	perations. If the operation result bandonment Notices shall be filed at inspection.  DO6, WESTPORT OIL & THE ATTACHED WELL	is in a multiple com I only after all requ GGAS COMPA LOCATIONS	pletion or recompleti rements, including r ANY L.P., HAS TO KERR-Mc	GEE OIL & GAS	1 L. CI_1
	APPR	OVED 3	5/6/06	RECEI	√ED
	$\mathcal{L}a$	rlove Ri	issell		
	Division	of Oil, Gas an	d Mining	MAY 1 0	2006
	Eariene F	cussell, Engine	ering Technic	lan DIV OF OU OAS	0 *****
14. I hereby certify that the foregoing	s is true and correct			DIV OF OIL GAS	* MINING
Name (Printed/Typed)		Title			
BRAD LANEY Signature	<del></del>		ING SPECIAL	IST	
orginature .		Date May 9, 2006	3		-
	THIS SPACE	FOR FEDERAL			
Approved by		Title		Date	
Olack January				5-9-06	
Conditions of approval, if any, are attacked certify that the applicant holds legated equit which would entitle the applicant to conduct	able title to those rights in the subje	arrant or Office			
Title 18 U.S.C. Section 1001, make false, fictitious or fraudulent statemer	it a crime for any person know	vingly and willfull matter within its ju	y to make to any durisdiction.	lepartment or agency of the United S	lates any



### **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Colorado State Office 2850 Youngfield Street Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM) 3106 COC017387 et. al.

March 23, 2006

### NOTICE

Kerr-McGee Oil & Gas Onshore L.P. 1999 Broadway, Suite 3700 Denver, CO 80202

Oil & Gas

### Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303,239,3768.

/s/Martha L. Maxwell Martha L. Maxwell Land Law Examiner Fluid Minerals Adjudication

### Attachment:

List of OG Leases to each of the following offices:
MMS MRM, MS 357B-1
WY, UT, NM/OK/TX, MT/ND, WY State Offices
CO Field Offices
Wyoming State Office
Rider #1 to Bond WY2357

Rider #1 to Bond WY2357 Rider #2 to Bond WY1865 Rider #3 to Bond WY1127



### United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-922)

March 27, 2006

### Memorandum

To:

Vernal Field Office

From:

Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of Fluid Minerals

### Enclosure

Approval letter from BLM COSO (2 pp)

cc:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225

State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114

Teresa Thompson

Joe Incardine

Connie Seare

Dave Mascarenas

Susan Bauman

MAR 2 8 2006

TOLOFOL, CAO 2 LINE D

Sundry Number: 16929 API Well Number: 43047320650000

			FORM 9
STATE OF UTAH			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			<b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-0576
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 166
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONSHORE, L.P.			9. API NUMBER: 43047320650000
<b>3. ADDRESS OF OPERATOR:</b> P.O. Box 173779 1099 18th Street, Suite 600, Denver, CO, 80217 3779  720 929-6515 Ext			9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0941 FSL 1693 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSE Section: 28 Township: 09.0S Range: 21.0E Meridian: S			COUNTY: UINTAH
			STATE: UTAH
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
	ACIDIZE	☐ ALTER CASING	CASING REPAIR
☐ NOTICE OF INTENT	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
✓ SUBSEQUENT REPORT Date of Work Completion: 7/12/2011	DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	☐ PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	✓ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
DRILLING REPORT			☐ WATER DISPOSAL
Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	☐ OTHER	OTHER:
THE SUBJECT WELL WAS RETURNED TO PRODUCTION ON 07/12/2011.  Accepted by the Utah Division of Oil, Gas and Mining  FOR RECORD ONLY			
NAME (DI EACE DRINT)	DUONE NUMBER	TITLE	
NAME (PLEASE PRINT) Sheila Wopsock	<b>PHONE NUMBER</b> 435 781-7024	Regulatory Analyst	
N/A		<b>DATE</b> 7/25/2011	